

REPORT NUMBER: 8708-SLEDNCAP-14

**CHILD RESTRAINT SYSTEM IN
DYNAMIC SLED TEST
COSCO TOURIVA WITH A HYIII 3 YEAR OLD
COSCO TOURIVA WITH A CRABI**

TEST NUMBER: 07-3-14

**PREPARED BY:
VERIDIAN ENGINEERING
4455 GENESEE STREET
BUFFALO, NEW YORK 14225**



AUGUST 1ST, 2003

FINAL REPORT

**PREPARED FOR:
U.S. DEPARTMENT OF TRANSPORTATION
NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION
OFFICE OF CRASHWORTHINESS STANDARDS
400 SEVENTH STREET, SW, ROOM 5311
WASHINGTON, D.C. 20590**

This final test report was prepared for the U.S. Department of Transportation, National Highway Traffic Safety Administration, in response to Contract Number DTNH22-01-D-32005

This publication is distributed by the U.S. Department of Transportation, National Highway Traffic Safety Administration, in the interest of information exchange. The opinions, findings and conclusions expressed in this publication are those of the author(s) and not necessarily those of the Department of Transportation or the National Highway Traffic Safety Administration. The United States Government assumes no liability for its contents or use thereof. If trade or manufacturers' names or products are mentioned it is only because they are considered essential to the object of the publication and should not be construed as an endorsement. The United States Government does not endorse products or manufacturers.

Prepared by: _____ Date: _____
David P. Roberts, Project Engineer

Reviewed by: _____ Date: _____
David P. Roberts, Head of Occupant
Protection and Safety Research

FINAL REPORT ACCEPTED BY:

Manager, New Car Assessment Program

Date of Acceptance

COTR, NCAP Dynamic Sled Test Program

Date of Acceptance

TECHNICAL REPORT STANDARD TITLE PAGE

1. Report No.	2. Government Accession No.	3. Recipient's Catalog No.	
4. Title and Subtitle Child Restraint Systems in Dynamic Sled Test P3- Cosco Touriva with a HYIII 3 year old P4- Cosco Touriva with a Crabi		5. Report Date August 1 st , 2003	
		6. Performing Organization Code	
7. Author David P. Roberts		8. Performing Organization Report No. 8708-SLEDNCAP-14	
9. Performing Organization Name and Address Veridian Engineering 4455 Genesee Street Buffalo, NY 14225		10. Work Unit No.	
		11. Contract or Grant No. DTNH22-01-D-32005	
12. Sponsoring Agency Name and Address U.S. Department of Transportation National Highway Traffic Safety Administration 400 Seventh St , S.W. Washington, DC 20590		13. Type of Report and Period Covered Final Report July 2003 – January 2004	
		14. Sponsoring Agency Code	
15. Supplementary Notes Reviewed by: _____ Approved by: _____ Program Manager Head, Occupant Protection & Safety Research Section, Transportation Sciences Center			
16. Abstract This report contains the results of tests performed in accordance with FMVSS 213 Final Rule Published June 24th, 2003 for FMVSS 213 Child Restraint Systems. Two (2) seats were tested during this run. Position 3 was a Cosco Touriva Child Restraint System. This seat was tested with a HYIII 3 year old ATD Position 4 was a Cosco Touriva Child Restraint System. This seat was tested with a Crabi ATD			
17. Key Words FMVSS 213 Child Restraint Systems Indicant Compliance Testing		18. Distribution Statement	
19. Security Classif. (of this report) UNCLASSIFIED	20. Security Classif. (of this page) UNCLASSIFIED	21. No. of Pages	22. Price

TABLE OF CONTENTS

<u>Section</u>		<u>Page No.</u>
1	Purpose and Test Procedure	1
2	Child Restraint Information	2
3	Post-Test Observations	3
4	ATD Injury Criteria and Sensor Data	4
5	Sled Test Set-Up	8
6	Camera Location	9
7	Photographs	10
8	Data Plots	15
9	Compression – Deflection Resistance Test	38
10	Child Dummy Calibration Data Traces and Tables	48
11	Test Equipment and Instrumentation Calibration	57
12	Link to High Speed Movies	59

SECTION 1

PURPOSE AND TEST PROCEDURE

1.1 PURPOSE

This dynamic sled testing is part of the FY' 03 New Car Assessment Program (NCAP) sponsored by the National Highway Traffic Safety Administration (NHTSA) under Contract Number DTNH22-01-D-32005. The purpose of this test is to obtain child seat research data for frontal dynamic testing.

1.2 TEST PROCEDURE

This frontal dynamic sled test was conducted in accordance with the child restraint test procedure provided by the FMVSS No. 213 Final Rule published June 24th, 2003. Any reference to FMVSS No. 213 in this document refers to the Final Rule published June 24th, 2003, for FMVSS No. 213 Child Restraint Systems.

The test was conducted at Veridian Engineering on August 1st, 2003 at a speed of 47.3 kph (29.4 mph). The FMVSS No. 213 sled pulse was used as a crash pulse. The requirements specified in the FMVSS No. 213 were also followed.

The bench seat contained two (2) anthropomorphic test devices (ATDs). One (1) Hybrid III 3 Year Old ATD, Serial Number S/N 044, was instrumented with head, chest, and pelvic tri-axial accelerometers. This ATD was also instrumented with upper and lower neck load cells. This dummy was placed in a Cosco Touriva child seat and the seat was located in Position 3 – Right Rear Passenger.

One (1) Crabi ATD, Serial Number S/N 093, was instrumented with head, chest, and pelvic tri-axial accelerometers, and upper neck load cells. This dummy was placed in a Cosco Touriva child seat and the seat was located in Position 4 – Left Rear Passenger. The Crabi ATDs were positioned according to the child seat manufacturer's instructions. The data was digitally sampled at 20,000 samples per second and processed per Section IP11 of the Laboratory Test Procedure.

Position 3 – Upper Neck Mx did not record

SECTION 2

CHILD RESTRAINT INFORMATION

Test No.: 07-3-14

Test Date: August 1st, 2003

POSITION 3

Child Restraint Type (forward-facing, rearward facing, booster)	FORWARD FACING
LATCH or NON-LATCH	LATCH WITH TETHER
Harness Type	5 POINT
Child Restraint Manufacturer	COSCO
Child Restraint Model	TOURIVA
Model Number	22-100-TTD
Date of Manufacture	6/17/03
Child Restraint Height Limits (mm)	483 – 1016
Child Restraint Weight Limits (kg)	2.3 – 18.1
Weight of Child Restraint (kg)	4.2

POSITION 4

Child Restraint Type (forward-facing, rearward facing, booster)	FORWARD FACING
LATCH or NON-LATCH	LATCH WITH TETHER
Harness Type	5 POINT
Child Restraint Manufacturer	COSCO
Child Restraint Model	TOURIVA
Model Number	22-100-TTD
Date of Manufacture	6/17/03
Child Restraint Height Limits (mm)	483 – 1016
Child Restraint Weight Limits (kg)	2.3 – 18.1
Weight of Child Restraint (kg)	4.2

SECTION 3

POST-TEST OBSERVATIONS

Test No.: 07-3-14

Test Date: August 1st, 2003

POSITION 3

Child Seat	COSCO TOURIVA
Belt Fraying	NONE
Stress Marks	NONE
Cracks	NONE
Buckle Stress	NONE
Latch Hooks	NONE
Max. Head Excursion (mm)	551
Max. Knee Excursion (mm)	604
Velocity (kph)	47.3
Acceleration (G's)	23.6

POSITION 4

Child Seat	COSCO TOURIVA
Belt Fraying	NONE
Stress Marks	NONE
Cracks	NONE
Buckle Stress	NONE
Latch Hooks	NONE
Max. Head Excursion (mm)	472
Max. Knee Excursion (mm)	462
Velocity (kph)	47.3
Acceleration (G's)	23.6

SECTION 4

ATD INJURY CRITERIA AND SENSOR DATA POSITION 3 – HYIII THREE YEAR OLD

Test No.: 07-3-14

Test Date: August 1st, 2003

HEAD PRIMARY PEAK ACCELERATIONS

Location	Axis	Units	P3 (Right) Rear Passenger			
			Max	Time	Min	Time
Head CG	X	G's	28.7	203.5	-33.3	98.2
Head CG	Y	G's	8.0	98.3	-5.3	81.2
Head CG	Z	G's	58.7	77.4	-10.2	49.8
Head CG Resultant	N/A	G's	60.7	74.4		

CHEST PRIMARY PEAK ACCELERATIONS

Location	Axis	Units	P3 (Right) Rear Passenger			
			Max	Time	Min	Time
Chest CG	X	G's	9.0	182.1	-28.6	73.1
Chest CG	Y	G's	3.3	79.7	-2.2	203.2
Chest CG	Z	G's	15.7	80.9	-42.3	53.6
Chest CG Resultant	N/A	G's	51.0	54.3		

SEAT BELT SENSOR PEAK VALUES


Location	Axis	Units	P3 (Right) Rear Passenger			
			Max	Time	Min	Time
Tether Belt	N/A	Newtons	NA	NA		

HEAD INJURY CRITERIA (HIC)

Location	P3 (Right) Rear Passenger			
	HIC	Avg. G's	T ¹	T ²
Head CG Primary (36 msec)	536.7	46.7	63.3	99.3
Head CG Primary (15 msec)	355.7	56.2	67.5	82.5

CHEST CLIP (3 MSEC)

Location	P3 (Right) Rear Passenger		
	Clip	T ¹	T ²
Chest CG Primary	50.3	52.5	55.5



ATD INJURY CRITERIA AND SENSOR DATA...(continued)
POSITION 3 - HYIII THREE YEAR OLD

Test No.: 07-3-14

Test Date: August 1st, 2003

PELVIC PEAK ACCELERATIONS

Location	Axis	Units	P3 (Right) Rear Passenger			
			Max	Time	Min	Time
Pelvis	X	G's	52.4	107.8	-46.8	55.9
Pelvis	Y	G's	6.3	110.9	-4.4	59.3
Pelvis	Z	G's	33.2	46.0	-89.2	38.4

UPPER NECK PEAK FORCES AND MOMENTS


Location	Axis	Units	P3 (Right) Rear Passenger			
			Max	Time	Min	Time
Neck Force	X	Newtons	85.0	186.9	-703.7	94.9
Neck Force	Y	Newtons	58.0	58.6	-100.2	81.7
Neck Force	Z	Newtons	1489.9	74.2	-286.2	50.2
Neck Moment	X	Nm	N/A	N/A	N/A	N/A
Neck Moment	Y	Nm	6.6	155.9	-7.2	55.1
Neck Moment	Z	Nm	2.5	249.9	-0.9	69.5

LOWER NECK PEAK FORCES AND MOMENTS

Location	Axis	Units	P3 (Right) Rear Passenger			
			Max	Time	Min	Time
Neck Force	X	Newtons	287.9	201.4	-897.1	77.0
Neck Force	Y	Newtons	27.1	193.1	-359.8	87.5
Neck Force	Z	Newtons	934.4	72.1	-579.8	51.9
Neck Moment	X	Nm	6.0	54.0	-24.1	88.5
Neck Moment	Y	Nm	111.6	91.6	-16.6	201.6
Neck Moment	Z	Nm	4.7	59.4	-7.8	88.1

CHEST PEAK DISPLACEMENTS

Location	Axis	Units	P3 (Right) Rear Passenger			
			Max	Time	Min	Time
Chest CG	X	mm	0.1	17.1	-21.1	93.1



SECTION 4

ATD INJURY CRITERIA AND SENSOR DATA POSITION 4 - CRABI

Test No.: 07-3-14

Test Date: August 1st, 2003

HEAD PRIMARY PEAK ACCELERATIONS

Location	Axis	Units	P4 (Left) Rear Passenger			
			Max	Time	Min	Time
Head CG	X	G's	38.5	177.3	-21.8	56.7
Head CG	Y	G's	1.1	155.8	-4.0	78.7
Head CG	Z	G's	56.5	72.6	-4.8	43.5
Head CG Resultant	N/A	G's	57.7	72.6		

CHEST PRIMARY PEAK ACCELERATIONS

Location	Axis	Units	P4 (Left) Rear Passenger			
			Max	Time	Min	Time
Chest CG	X	G's	15.3	163.9	-35.5	47.7
Chest CG	Y	G's	2.7	67.8	-8.6	82.2
Chest CG	Z	G's	38.5	75.0	-27.5	49.8
Chest CG Resultant	N/A	G's	44.3	49.0		

SEAT BELT SENSOR PEAK VALUES


Location	Axis	Units	P4 (Left) Rear Passenger			
			Max	Time	Min	Time
Tether Belt	N/A	Newtons	NA	NA		

HEAD INJURY CRITERIA (HIC)

Location	P4 (Left) Rear Passenger			
	HIC	Avg. G's	T ¹	T ²
Head CG Primary (36 msec)	454.0	43.9	55.3	90.8
Head CG Primary (15 msec)	311.8	53.3	64.8	79.8

CHEST CLIP (3 MSEC)

Location	P4 (Left) Rear Passenger		
	Clip	T ¹	T ²
Chest CG Primary	43.3	47.2	50.2



ATD INJURY CRITERIA AND SENSOR DATA...(continued)
POSITION 4 - CRABI

Test No.: 07-3-14


Test Date: August 1st, 2003

PELVIC PEAK ACCELERATIONS

Location	Axis	Units	P4 (Left) Rear Passenger			
			Max	Time	Min	Time
Pelvis	X	G's	11.8	202.5	-33.5	57.6
Pelvis	Y	G's	5.1	58.7	-6.5	187.1
Pelvis	Z	G's	17.1	81.5	-47.9	56.4

UPPER NECK PEAK FORCES AND MOMENTS

Location	Axis	Units	P4 (Left) Rear Passenger			
			Max	Time	Min	Time
Neck Force	X	Newtons	123.5	172.7	-474.9	55.6
Neck Force	Y	Newtons	22.3	168.7	-47.8	50.8
Neck Force	Z	Newtons	1638.7	70.9	-122.4	43.6
Neck Moment	X	Nm	2.5	187.4	-3.2	62.7
Neck Moment	Y	Nm	5.1	141.4	-9.1	50.7
Neck Moment	Z	Nm	1.5	60.3	-0.5	249.9



SECTION 5


SLED TEST SET-UP

Test No.: 07-3-14

Test Date: August 1st, 2003

An FMVSS 213 test bench was fastened on the sled in order to simulate a frontal impact. Two child seats were placed on the bench and fastened in a manner suggested in the owner's manual of the child seat. Stadia poles were set up to measure the seat back rotation.

Pre-test Infant and Car Seat Positions




SECTION 6
CAMERA LOCATION

Test No.: 07-3-14

Test Date: August 1st, 2003

There were two cameras mounted onto the sled carriage for views of the left and right side of the child seat.



SECTION 7
PHOTOGRAPHS

TABLE OF PHOTOGRAPHS

<u>Photographs</u>	<u>Page No.</u>
Photo 1 – Pre-Test and Post Test Right Rear Side View	11
Photo 2 – Pre-Test and Post Test Right Side View	12
Photo 3 – Pre-Test and Post Test Left Side View	13
Photo 4 – Pre-Test and Post Test Left Rear Side View	14



Pre Test Right Side View



Post Test Right Side View



Pre Test Right Front View



Post Test Right Front View



Pre Test Left Front View



Post Test Left Front View



Pre Test Left Side View



Post Test Left Side View

SECTION 8


Data Plots

Sled Test NCAP SLED 07-3-14

Sled Pulse Corridor

Max: 23.6 [g] at 0.014 [s]

Min: -1.5 [g] at 0.095 [s]



FACILITY: HYGE SLED
 TEST#: 07-3-14
 TITLE: Sled Test NCAP SLED 07-3-14

DATE: August 01, 2003

CHN NAME	Unit	Max	msec	Min	msec	Filt	Comment
41 Sled Acceleration	g	23.6	14.1	-1.5	94.7	CFC_60	
42 Sled Acceleration Velocity	kph	47.3	80.4	-0.0	-20.0	CFC_180	
43 Sled Acceleration Displacement	mm	2725.6	249.9	-0.2	-10.9	CFC_180	
44 P3 Head x	g	28.7	203.5	-33.3	98.2	CFC_1000	
45 P3 Head y	g	8.0	98.3	-5.3	81.2	CFC_1000	
46 P3 Head z	g	58.7	77.4	-10.2	49.8	CFC_1000	
47 P3 Head Resultant	g	60.7	74.4	0.0	-15.2	CFC_1000	
48 P3 Upper Neck Fx	N	85.0	186.9	-703.7	94.9	CFC_1000	
49 P3 Upper Neck Fy	N	58.0	58.6	-100.2	81.7	CFC_1000	
50 P3 Upper Neck Fz	N	1489.9	74.2	-286.2	50.2	CFC_1000	
51 P3 Upper Neck F Resultant	N	1542.7	73.4	0.0	-18.4	CFC_1000	
52 P3 Upper Neck Mx	N-m	20.5	203.2	-20.9	143.0	CFC_600	
53 P3 Upper Neck My	N-m	6.6	155.9	-7.2	55.1	CFC_600	
54 P3 Upper Neck Mz	N-m	2.5	249.9	-0.9	69.5	CFC_600	
55 P3 Upper Neck M Resultant	N-m	21.0	143.0	0.0	-12.1	CFC_600	
56 P3 Lower Neck Fx	N	287.9	201.4	-897.1	77.0	CFC_1000	
57 P3 Lower Neck Fy	N	27.1	193.1	-359.8	87.5	CFC_1000	
58 P3 Lower Neck Fz	N	934.4	72.1	-579.8	51.9	CFC_1000	
59 P3 Lower Neck F Resultant	N	1296.9	77.2	0.0	-6.4	CFC_1000	
60 P3 Lower Neck Mx	N-m	6.0	54.0	-24.1	88.5	CFC_600	
61 P3 Lower Neck My	N-m	111.6	91.6	-16.6	201.6	CFC_600	
62 P3 Lower Neck Mz	N-m	4.7	59.4	-7.8	88.1	CFC_600	
63 P3 Lower Neck M Resultant	N-m	113.9	91.4	0.0	-17.7	CFC_600	
64 P3 Chest x	g	9.0	182.1	-28.6	73.1	CFC_180	
65 P3 Chest y	g	3.3	79.7	-2.2	203.2	CFC_180	
66 P3 Chest z	g	15.7	80.9	-42.3	53.6	CFC_180	
67 P3 Chest Resultant	g	51.0	54.3	0.0	-17.9	CFC_180	
68 P3 Pelvic x	g	52.4	107.8	-46.8	55.9	CFC_1000	
69 P3 Pelvic y	g	6.3	110.9	-4.4	59.3	CFC_1000	
70 P3 Pelvic z	g	33.2	46.0	-89.2	38.4	CFC_1000	
71 P3 Pelvic Resultant	g	90.8	38.4	0.0	-19.9	CFC_1000	

FACILITY: HYGE SLED
 TEST#: 07-3-14
 TITLE: Sled Test NCAP SLED 07-3-14

DATE: August 01, 2003

CHN	NAME	Unit	Max	msec	Min	msec	Filt	Comment
72	P3 Head Red z	g	76.5	81.4	-26.7	50.7	CFC_1000	
73	P3 Chest Compression	mm	0.1	17.1	-21.1	93.1	CFC_600	
74	P3 Upper Neck Mocyc	N-m	6.6	155.9	-7.2	55.1	CFC_600	
75	P4 Head x	g	38.5	177.3	-21.8	56.7	CFC_1000	
76	P4 Head y	g	1.1	155.8	-4.0	78.7	CFC_1000	
77	P4 Head z	g	56.5	72.6	-4.8	43.5	CFC_1000	
78	P4 Head Resultant	g	57.7	72.6	0.0	-12.1	CFC_1000	
79	P4 Upper Neck Fx	N	123.5	172.7	-474.9	55.6	CFC_1000	4000
80	P4 Upper Neck Fy	N	22.3	168.7	-47.8	50.8	CFC_1000	4000
81	P4 Upper Neck Fz	N	1638.7	70.9	-122.4	43.6	CFC_1000	4000
82	P4 Upper Neck F Resultant	N	1656.6	70.9	0.0	-18.3	CFC_1000	4000
83	P4 Upper Neck Mx	N-m	2.5	187.4	-3.2	62.7	CFC_600	4000
84	P4 Upper Neck My	N-m	5.1	141.4	-9.1	50.7	CFC_600	4000
85	P4 Upper Neck Mz	N-m	1.5	60.3	-0.5	249.9	CFC_600	4000
86	P4 Upper Neck M Resultant	N-m	9.1	50.7	0.0	-14.8	CFC_600	4000
87	P4 Chest x	g	15.3	163.9	-35.5	47.7	CFC_180	
88	P4 Chest y	g	2.7	67.8	-8.6	82.2	CFC_180	
89	P4 Chest z	g	38.5	75.0	-27.5	49.8	CFC_180	
90	P4 Chest Resultant	g	44.3	49.0	0.0	-18.9	CFC_180	
91	P4 Pelvic x	g	11.8	202.5	-33.5	57.6	CFC_1000	
92	P4 Pelvic y	g	5.1	58.7	-6.5	187.1	CFC_1000	
93	P4 Pelvic z	g	17.1	81.5	-47.9	56.4	CFC_1000	4000
94	P4 Pelvic Resultant	g	58.2	56.5	0.0	-17.8	CFC_1000	
95	P4 Upper Neck Mocyc	N-m	6.8	65.6	-6.7	50.3	CFC_600	4000

FACILITY: HYGE SLED

DATE: August 01, 2003

TEST#: 07-3-14

TITLE: Sled Test NCAP SLED 07-3-14

Version 5.00

=====

P3 HIC(36 ms): 536.7

t1: 63.3 msec

t2: 99.3 msec

Duration: 36.0 msec

Average Acceleration: 46.7 g

Input channels: P3 Head x (2) CFC_1000

P3 Head y (3) CFC_1000

P3 Head z (4) CFC_1000

P3 UP NECK Fx: Max: 85.0 N 186.9 msec

Min: -703.7 N 94.9 msec

Input channel: P3 Upper Neck Fx (6) CFC_1000

P3 UP NECK Fz: Max: 1489.9 N 74.2 msec

Min: -286.2 N 50.2 msec

Input channel: P3 Upper Neck Fz (8) CFC_1000

P3 UP NECK Mocy (3Y0 Child OOP)

Max: 6.6 N-m 155.9 msec

Min: -7.2 N-m 55.1 msec

Input channels: P3 Upper Neck Fx (6) CFC_600

P3 Upper Neck My (10) CFC_600

Docy: 0

P3 UP NECK Nij (3Y0 Child OOP)

Ntf: 0.75 Nij 77.6 msec CVt: 2120 CVf: 68

Nte: 0.76 Nij 71.9 msec CVt: 2120 CVe: 27

Ncf: 0.02 Nij 1446.8 msec CVc: 2120 CVf: 68

Nce: 0.39 Nij 49.7 msec CVc: 2120 CVe: 27

Input channels: P3 Upper Neck Fz (8) CFC_600

P3 Upper Neck Mocy [N-m, CFC_600] (85)

FACILITY: HYG SLED
TEST#: 07-3-14
TITLE: Sled Test NCAP SLED 07-3-14
Version 5.00

DATE: August 01, 2003

=====

P3 CLIP(3 ms): 50.3 g

t1: 52.5 msec

t2: 55.5 msec

Duration: 3.0 msec

P3 CSI: 344.8

Input channels: P3 Chest x (18) CFC_180

P3 Chest y (19) CFC_180

P3 Chest z (20) CFC_180

P3 CHEST DISP: Max: 0.4 mm1386.7 msec

Min: -21.1 mm 93.1 msec

Input channel: P3 Chest Compression (21) CFC_600

=====

P3 HIC(15 ms): 355.7

t1: 67.5 msec

t2: 82.5 msec

Duration: 15.0 msec

Average Acceleration: 56.2 g

Input channels: P3 Head x (2) CFC_1000

P3 Head y (3) CFC_1000

P3 Head z (4) CFC_1000

=====

FACILITY: HYGE SLED
TEST#: 07-3-14
TITLE: Sled Test NCAP SLED 07-3-14
Version 5.00

DATE: August 01, 2003

=====

P4 HIC(36 ms): 454.0
t1: 55.3 msec
t2: 90.8 msec
Duration: 35.5 msec
Average Acceleration: 43.9 g
Input channels: P4 Head x (25) CFC_1000
P4 Head y (26) CFC_1000
P4 Head z (27) CFC_1000

P4 UP NECK Fx: Max: 123.5 N 172.7 msec
Min: -474.9 N 55.6 msec
Input channel: P4 Upper Neck Fx (28) CFC_1000

P4 UP NECK Fz: Max: 1638.7 N 70.9 msec
Min: -122.4 N 43.6 msec
Input channel: P4 Upper Neck Fz (30) CFC_1000

P4 UP NECK Mocyc (1Y0 Infant OOP)
Max: 6.8 N-m 65.6 msec
Min: -6.7 N-m 50.3 msec
Input channels: P4 Upper Neck Fx (28) CFC_600
P4 Upper Neck My (32) CFC_600
Docy: 0.0058

P4 UP NECK Nij (1Y0 Infant OOP)
Ntf: 1.25 Nij 70.9 msec CVt: 1460 CVf: 43
Nte: 0.84 Nij 84.8 msec CVt: 1460 Cve: 17
Ncf: 0.09 Nij 364.4 msec CVc: 1460 CVf: 43
Nce: 0.39 Nij 44.6 msec CVc: 1460 Cve: 17
Input channels: P4 Upper Neck Fz (30) CFC_600
P4 Upper Neck Mocyc [N-m, CFC_600] (91)

FACILITY: HYGE SLED
TEST#: 07-3-14
TITLE: Sled Test NCAP SLED 07-3-14
Version 5.00

DATE: August 01, 2003

=====

P4 CLIP(3 ms): 43.3 g
t1: 47.2 msec
t2: 50.2 msec
Duration: 3.0 msec

P4 CSI: 399.1
Input channels: P4 Chest x (34) CFC_180
P4 Chest y (35) CFC_180
P4 Chest z (36) CFC_180


=====

P4 HIC(15 ms): 311.8
t1: 64.8 msec
t2: 79.8 msec
Duration: 15.0 msec
Average Acceleration: 53.3 g
Input channels: P4 Head x (25) CFC_1000
P4 Head y (26) CFC_1000
P4 Head z (27) CFC_1000

=====


Sled Test NCAP SLED 07-3-14

Sled Acceleration




- August 01, 2003


Sled Acceleration



Sled Acceleration Velocity




Sled Acceleration Displacement




Sled Test NCAP SLED 07-3-14

- August 01, 2003


P3 Head x




P3 Head y



P3 Head z







P3 Head Resultant







Sled Test NCAP SLED 07-3-14

- August 01, 2003







Sled Test NCAP SLED 07-3-14

- August 01, 2003







Sled Test NCAP SLED 07-3-14

- August 01, 2003




Sled Test NCAP SLED 07-3-14

- August 01, 2003




Sled Test NCAP SLED 07-3-14

P3 Chest x




- August 01, 2003


P3 Chest y



P3 Chest z




P3 Chest Resultant




Sled Test NCAP SLED 07-3-14

- August 01, 2003


P3 Pelvic x




P3 Pelvic y



P3 Pelvic z



P3 Pelvic Resultant





Sled Test NCAP SLED 07-3-14

- August 01, 2003



P3 Head Red z

P3 Chest Compression



P3 Upper Neck Mocyc


BLANK




Sled Test NCAP SLED 07-3-14

- August 01, 2003


P4 Head x




P4 Head y



P4 Head z




P4 Head Resultant




Sled Test NCAP SLED 07-3-14

P4 Upper Neck Fx




- August 01, 2003


P4 Upper Neck Fy



P4 Upper Neck Fz




P4 Upper Neck F Resultant




Sled Test NCAP SLED 07-3-14

P4 Upper Neck Mx




- August 01, 2003


P4 Upper Neck My



P4 Upper Neck Mz




P4 Upper Neck M Resultant




Sled Test NCAP SLED 07-3-14

- August 01, 2003


P4 Chest x




P4 Chest y



P4 Chest z




P4 Chest Resultant




Sled Test NCAP SLED 07-3-14

- August 01, 2003


P4 Pelvic x




P4 Pelvic y



P4 Pelvic z




P4 Pelvic Resultant




Sled Test NCAP SLED 07-3-14

P4 Upper Neck Mocyc




- August 01, 2003


BLANK



BLANK



BLANK




SECTION 9

Compression – Deflection Resistance Test


8/1/03

Date 8/1/03
Performed By SL
Temp. 70°
Humidity 58%

Foam No. 2'x20" 2'x24" I7



Date 8/1/03
 Temp 70°
 Humidity 59%
 Foam No. 2" X 20" X 24" "I"



Compression - Deflection Resistance Test Child Seat Foam

SEAT FOAM USAGE LOG


2" x 20" 2" x 24" 17

Foam I.D. Number


Date	Peak Load	Pass/Fail
8/1/03	484BS	Pass

Date 8/1/99
 Performed By [Signature]
 Temp. 70°
 Humidity 50%

Foam No. 4" X 20" I 7



Date 8/1/03
 Temp 70°
 Humidity 50%
 Foam No. 4" X 20" ID



Compression - Deflection Resistance Test Child Seat Foam


SEAT FOAM USAGE LOG

4" x 20" I-7


Foam I.D. Number

Date	Peak Load	Pass/Fail
8/1/03	23 LBS	Pass

Date 8/1/03
 Performed By SD
 Temp. 70°
 Humidity 50%
 Foam No. 4 x 24" IJ



Date 8/1/03
 Temp 70
 Humidity 50%
 Foam No. 4X24 (F)



Compression - Deflection Resistance Test Child Seat Foam

SEAT FOAM USAGE LOG

Foam I.D. Number 9" X 24" I 7

Date	Peak Load	Pass/Fail
8/1/03	24 LB	Pass

SECTION 10

Child Dummy Calibration Data Traces and Tables

HYIII 3 Year Old Head Drop Test S/N:044

Part 572P Head Drop

Calibration Date: July 22, 2003

Serial No: 044

Work File: 4001

-----TEST RESULTS-----


<u>TEST CONDITION</u>	<u>PARAMETERS</u>	<u>RESULTS</u>	<u>STATUS</u>
Lab Temperature:	66.0-78.0 F	70.0 F	Passed
Lab Humidity:	10-70 %	35.00 %	Passed
Peak Resultant Accel.:	250-280 Gs	267.66 Gs	Passed
Peak Lateral Accel.:	15 Gs Max	5.53 Gs	Passed
Curve PerCent NonModal:	< 10%	6.05 %	Passed

HYIII 3 Year Old Head Drop Test S/N:044

Head Resultant

Max: 267.7 [g] at 0.002 [s]

Min: 0.0 [g] at -0.080 [s]



Hybrid III Head Neck Extention Test S/N:044

Part 572P	Neck Extension Test	Calibration Date:	July 22, 2003
Serial No:	144	Work File:	4001

-----TEST RESULTS-----

<u>TEST CONDITION</u>	<u>PARAMETERS</u>	<u>RESULTS</u>	<u>STATUS</u>
Lab Temperature:	69.0-72.0 F	70.00 F	Passed
Lab Humidity:	10-70 %	35.00 %	Passed
Test Pendulum Speed:	11.58-12.38 ft/s	12.30 ft/s	Passed

-----PENDULUM PULSE-----

Pulse at 6 ms:	3.30- 4.60 ft/s	3.89 ft/s	Passed
Pulse at 10 ms:	6.20- 8.20 ft/s	6.94 ft/s	Passed
Pulse at 14 ms:	9.20-11.50 ft/s	9.47 ft/s	Passed

-----D PLANE ROTATION-----

Maximum Rotation:	83.0-93.0 Deg	86.18 Deg	Passed
-------------------	---------------	-----------	--------

-----MOMENT ABOUT THE OCCIPITAL CONDYLE-----

Max Occipital Moment:	-53.30--43.70 N-m	-45.61 N-m	Passed
Occipital Moment Decay:	60.0-80.0 ms	71.60 ms	Passed

Hybrid III 3 Year Old Head Neck Flexion Test S/N:044

Part 572P	Neck Flexion Test	Calibration Date:	July 22, 2003
Serial No:	044	Work File:	4001

-----TEST RESULTS-----

<u>TEST CONDITION</u>	<u>PARAMETERS</u>	<u>RESULTS</u>	<u>STATUS</u>
Lab Temperature:	20.6-22.2 C	21.11 C	Passed
Lab Humidity:	10-70 %	36.00 %	Passed
Test Pendulum Speed:	5.40- 5.60 m/s	5.60 m/s	Passed

-----PENDULUM PULSE-----

Pulse at 10 ms:	2.00- 2.70 m/s	2.13 m/s	Passed
Pulse at 15 ms:	3.00- 4.00 m/s	3.10 m/s	Passed
Pulse at 20 ms:	4.00- 5.10 m/s	4.20 m/s	Passed

-----D PLANE ROTATION-----

Maximum Rotation:	70.0-82.0 Deg	81.53 Deg	Passed
-------------------	---------------	-----------	--------

-----MOMENT ABOUT THE OCCIPITAL CONDYLE-----

Max Occipital Moment:	42.00- 53.00 N-m	47.85 N-m	Passed
Occipital Moment Decay:	60.0-80.0 ms	74.00 ms	Passed

Hybrid III 3 Year Old Thorax Test S/N:044

Part 572P Thorax Impact

Calibration Date:

July 22, 2003

Serial No: 044

Work File:

4001

-----TEST RESULTS-----


<u>TEST CONDITION</u>	<u>PARAMETERS</u>	<u>RESULTS</u>	<u>STATUS</u>
Lab Temperature:	20.6-22.2 C	21.1 C	Passed
Lab Humidity:	10-70 %	36.00 %	Passed
Pendulum Velocity:	5.90- 6.10 m/s	6.08 m/s	Passed
Maximum Deflection:	32.00-38.00 mm	36.28 mm	Passed
Maximum Res. Force:	680.00- 810.00 N	767.48 N	Passed
Internal Hysteresis:	65-85 %	73.20 %	Passed
Pass Sternum Force Criteria?:	860.00 N	788.71	Passed

Hybrid III 3 Year Old Thorax Test S/N:044

Probe Force vs. Displacement

Max: 1465.5 [N] at 2.421 [mm]

Min: -21.7 [N] at 0.325 [mm]



CRABI 1 Year Old Frontal Head Drop Test S/N:093

Part 572R Frontal Head Drop

Calibration Date: July 22, 2003

Serial No: 093

Work File: 4001


TEST RESULTS

<u>TEST CONDITION</u>	<u>PARAMETERS</u>	<u>RESULTS</u>	<u>STATUS</u>
Lab Temperature:	66.0-78.0 F	70.0 F	Passed
Lab Humidity:	10-70 %	35.00 %	Passed
Peak Resultant Accel.:	100-120 Gs	116.59 Gs	Passed
Peak Lateral Accel.:	15 Gs Max	14.34 Gs	Passed
Curve PerCent NonModal:	< 17%	11.67 %	Passed

CRABI 1 Year Old Frontal Head Drop Test S/N:093
Head Resultant

Max: 116.6 [g] at 0.009 [s]

Min: 0.0 [g] at -0.008 [s]



CRABI 1 Year Old Rear Head Drop Test S/N:093

Part 572R Rear Head Drop

Calibration Date: July 23, 2003

Serial No: 093

Work File: 4001


-----TEST RESULTS-----

<u>TEST CONDITION</u>	<u>PARAMETERS</u>	<u>RESULTS</u>	<u>STATUS</u>
Lab Temperature:	66.0-78.0 F	70.0 F	Passed
Lab Humidity:	10-70 %	35.00 %	Passed
Peak Resultant Accel.:	55-71 Gs	67.89 Gs	Passed
Peak Lateral Accel.:	15 Gs Max	1.82 Gs	Passed
Curve PerCent NonModal:	< 17%	11.85 %	Passed

CRABI 1 Year Old Rear Head Drop Test S/N:093
Head Resultant

Max: 67.9 [g] at 0.011 [s]

Min: 0.0 [g] at -0.007 [s]



Crabi 1 Year Old Head Neck Extention Test S/N:093

Part 572R	Neck Extension Test	Calibration Date:	July 24, 2003
Serial No:	093	Work File:	4001

-----TEST RESULTS-----

<u>TEST CONDITION</u>	<u>PARAMETERS</u>	<u>RESULTS</u>	<u>STATUS</u>
Lab Temperature:	20.6-22.2 C	21.11 C	Passed
Lab Humidity:	10-70 %	36.00 %	Passed
Test Pendulum Speed:	2.40- 2.60 m/s	2.47 m/s	Passed

-----PENDULUM PULSE-----

Pulse at 6 ms:	0.80- 1.20 m/s	1.08 m/s	Passed
Pulse at 10 ms:	1.50- 2.10 m/s	1.92 m/s	Passed
Pulse at 14 ms:	2.20- 2.90 m/s	2.65 m/s	Passed

-----D PLANE ROTATION-----

Maximum Rotation:	80.0-92.0 Deg	87.68 Deg	Passed
-------------------	---------------	-----------	--------

-----MOMENT ABOUT THE OCCIPITAL CONDYLE-----

Max Occipital Moment:	-23.00--12.00 N-m	-21.92 N-m	Passed
Occipital Moment Decay:	76.0-90.0 ms	81.60 ms	Passed

Crabi 1 Year Old Head Neck Flexion Test S/N:093

Part 572R	Neck Flexion Test	Calibration Date:	July 24, 2003
Serial No:	093	Work File:	4093

-----TEST RESULTS-----

<u>TEST CONDITION</u>	<u>PARAMETERS</u>	<u>RESULTS</u>	<u>STATUS</u>
Lab Temperature:	20.6-22.2 C	21.11 C	Passed
Lab Humidity:	10-70 %	35.00 %	Passed
Test Pendulum Speed:	5.10- 5.30 m/s	5.30 m/s	Passed

-----PENDULUM PULSE-----

Pulse at 10 ms:	1.60- 2.30 m/s	2.12 m/s	Passed
Pulse at 20 ms:	3.40- 4.20 m/s	4.16 m/s	Passed
Pulse at 25 ms:	4.30- 5.20 m/s	5.07 m/s	Passed

-----D PLANE ROTATION-----

Maximum Rotation:	75.0-86.0 Deg	80.58 Deg	Passed
-------------------	---------------	-----------	--------

-----MOMENT ABOUT THE OCCIPITAL CONDYLE-----

Max Occipital Moment:	36.00- 45.00 N-m	41.66 N-m	Passed
Occipital Moment Decay:	60.0-80.0 ms	65.50 ms	Passed

SECTION 11

Test Equipment and Instrumentation Calibration

Calibrations for Test 07-3-14

Channel Name	Sensor Name	Date of Calibration
P3 HDCG Ax	MFG: ENDEVCO S/N: P17912	7/17/2003
P3 HDCG Ay	MFG: ENDEVCO S/N: P17743	7/17/2003
P3 HDCG Az	MFG: ENDEVCO S/N: P15319	6/26/2003
P3 HDCG RAz	MFG: ENDEVCO S/N: P16279	6/25/2003
P3 CHST Ax	MFG: ENDEVCO S/N: P15334	7/17/2003
P3 CHST Ay	MFG: ENDEVCO S/N: P15321	7/17/2003
P3 CHST Az	MFG: ENDEVCO S/N: P17758	7/17/2003
P3 CHST Dx	MFG: SERVO S/N: 044	7/22/2003
P3 PVCN Ax	MFG: ENDEVCO S/N: P16755	7/17/2003
P3 PVCN Ay	MFG: ENDEVCO S/N: P15591	7/17/2003
P3 PVCN Az	MFG: ENDEVCO S/N: P16155	7/17/2003
P3 NEKU Fx	MFG: Denton S/N: 248-FX	7/18/2003
P3 NEKU Fy	MFG: Denton S/N: 248-FY	7/18/2003
P3 NEKU Fz	MFG: Denton S/N: 248-FZ	7/18/2003
P3 NEKU Mx	MFG: Denton S/N: 248-MX	7/18/2003
P3 NEKU My	MFG: Denton S/N: 248-MY	7/18/2003
P3 NEKU Mz	MFG: Denton S/N: 248-MZ	7/18/2003
P3 NEKL Fx	MFG: Denton S/N: 249Fx	7/18/2003
P3 NEKL Fy	MFG: Denton S/N: 249Fy	7/18/2003
P3 NEKL Fz	MFG: Denton S/N: 249Fz	7/18/2003
P3 NEKL Mx	MFG: Denton S/N: 249Mx	7/18/2003
P3 NEKL My	MFG: Denton S/N: 249My	7/18/2003
P3 NEKL Mz	MFG: Denton S/N: 249Mz	7/18/2003
P4 HDCG Ax	MFG: ENTRAN S/N: 02I02I05-F20	7/14/2003
P4 HDCG Ay	MFG: ENTRAN S/N: 02I02I10-N19	7/14/2003
P4 HDCG Az	MFG: ENTRAN S/N: 02I02I05-F03	7/14/2003
P4 CHST Ax	MFG: ENTRAN S/N: 02I02I05-F16	7/14/2003
P4 CHST Ay	MFG: ENTRAN S/N: 02I02I05-F06	7/14/2003
P4 CHST Az	MFG: ENTRAN S/N: 02I02I05-F07	7/14/2003
P4 NEKU Fx	MFG: DENTON S/N: 280-FX	7/16/2003
P4 NEKU Fy	MFG: DENTON S/N: 280-FY	7/16/2003
P4 NEKU Fz	MFG: DENTON S/N: 280-FZ	7/16/2003
P4 NEKU Mx	MFG: DENTON S/N: 280-MX	7/16/2003
P4 NEKU My	MFG: DENTON S/N: 280-MY	7/16/2003
P4 NEKU Mz	MFG: DENTON S/N: 280-MZ	7/16/2003
P4 PVCN Ax	MFG: ENTRAN S/N: 02I02I05-F11	7/14/2003
P4 PVCN Ay	MFG: ENDEVCO S/N: P10092	7/30/2003
P4 PVCN Az	MFG: ENTRAN S/N: 02I02I16-A05	7/14/2003
Sled Ax	MFG: ENDEVCO S/N: 24144	7/24/2003

SECTION 12

[Link to High Speed Movies](#)

Test 07-3-14 North View

Test 07-3-14 South View