

**REPORT NUMBER: 8708-SLEDNCAP-26**

**CHILD RESTRAINT SYSTEM IN  
DYNAMIC SLED TEST  
EVENFLO VICTORY 5 WITH A HYIII THREE YEAR OLD  
EVENFLO VANGUARD 1 WITH A HYIII THREE YEAR OLD**

**TEST NUMBER: 08-3-27  
08-3-28**

**PREPARED BY:  
VERIDIAN ENGINEERING  
4455 GENESEE STREET  
BUFFALO, NEW YORK 14225**



**AUGUST 12<sup>TH</sup>, 2003  
AUGUST 13<sup>TH</sup>, 2003**

**FINAL REPORT**

**PREPARED FOR:  
U.S. DEPARTMENT OF TRANSPORTATION  
NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION  
OFFICE OF CRASHWORTHINESS STANDARDS  
400 SEVENTH STREET, SW, ROOM 5311  
WASHINGTON, D.C. 20590**

This final test report was prepared for the U.S. Department of Transportation, National Highway Traffic Safety Administration, in response to Contract Number DTNH22-01-D-32005

This publication is distributed by the U.S. Department of Transportation, National Highway Traffic Safety Administration, in the interest of information exchange. The opinions, findings and conclusions expressed in this publication are those of the author(s) and not necessarily those of the Department of Transportation or the National Highway Traffic Safety Administration. The United States Government assumes no liability for its contents or use thereof. If trade or manufacturers' names or products are mentioned it is only because they are considered essential to the object of the publication and should not be construed as an endorsement. The United States Government does not endorse products or manufacturers.

Prepared by: \_\_\_\_\_ Date: \_\_\_\_\_  
David P. Roberts, Project Engineer

Reviewed by: \_\_\_\_\_ Date: \_\_\_\_\_  
David P. Roberts, Head of Occupant  
Protection and Safety Research

FINAL REPORT ACCEPTED BY:

\_\_\_\_\_  
Manager, New Car Assessment Program

\_\_\_\_\_  
Date of Acceptance

\_\_\_\_\_  
COTR, NCAP Dynamic Sled Test Program

\_\_\_\_\_  
Date of Acceptance

## TECHNICAL REPORT STANDARD TITLE PAGE

1. Report No.	2. Government Accession No.	3. Recipient's Catalog No.	
4. Title and Subtitle Child Restraint Systems in Dynamic Sled Test Test 08-3-27 – Evenflo Victory 5 with a HYIII 3 year old Test 08-3-28 – Evenflo Vanguard 1 with a HYIII 3 year old		5. Report Date August 12 <sup>th</sup> , 2003 August 13 <sup>th</sup> , 2003	
		6. Performing Organization Code	
7. Author David P. Roberts		8. Performing Organization Report No. 8708-SLEDNCAP-26	
9. Performing Organization Name and Address Veridian Engineering 4455 Genesee Street Buffalo, NY 14225		10. Work Unit No.	
		11. Contract or Grant No. DTNH22-01-32005	
12. Sponsoring Agency Name and Address U.S. Department of Transportation National Highway Traffic Safety Administration 400 Seventh St , S.W. Washington, DC 20590		13. Type of Report and Period Covered Final Report August 2003 – January 2003	
		14. Sponsoring Agency Code	
15. Supplementary Notes Reviewed by: _____ Program Manager Approved by: _____ Head, Occupant Protection & Safety Research Section, Transportation Sciences Center			
16. Abstract This report contains the results of tests performed in accordance with FMVSS 213 Final Rule Published June 24th, 2003 for FMVSS 213 Child Restraint Systems.  One (1) seat was tested during run 08-3-27. Position 6 was an Evenflo Victory 5 Child Restraint System. This seat was tested with a HYIII 3 year old ATD.  One (1) seat was tested during run 08-3-28. Position 6 was an Evenflo Vanguard 1 Child Restraint System. This seat was tested with a HYIII 3 year old ATD.			
17. Key Words FMVSS 213 Child Restraint Systems Compliance Testing		18. Distribution Statement	
19. Security Classif. (of this report) <b>UNCLASSIFIED</b>	20. Security Classif. (of this page) <b>UNCLASSIFIED</b>	21. No. of Pages	22. Price

## TABLE OF CONTENTS

<u>Section</u>		<u>Page No.</u>
1	Purpose and Test Procedure	1
2	Child Restraint Information	2
3	Post-Test Observations	3
4	Hybrid III 3 Year Old ATD Injury Criteria and Sensor Data	4
5	Sled Test Set-Up	8
6	Camera Location	9
7	Photographs	10
8	Data Plots	20
9	Compression – Deflection Resistance Test	47
10	Child Dummy Calibration Data Traces and Tables	66
11	Test Equipment and Instrumentation Calibration	71
12	Link to High Speed Movies	73

## SECTION 1

### PURPOSE AND TEST PROCEDURE

#### 1.1 PURPOSE

This dynamic sled testing is part of the FY' 03 New Car Assessment Program (NCAP) sponsored by the National Highway Traffic Safety Administration (NHTSA) under Contract Number DTNH22-01-D-32005. The purpose of this test is to obtain child seat research data for frontal dynamic testing.

#### 1.2 TEST PROCEDURE

These frontal dynamic sled test were conducted in accordance with the child restraint test procedure provided by the FMVSS No. 213 Final Rule published June 24<sup>th</sup>, 2003. Any reference to FMVSS No. 213 in this document refers to the Final Rule published June 24<sup>th</sup>, 2003, for FMVSS No. 213 Child Restraint Systems.

Test 08-3-27 was conducted at Veridian Engineering on August 12<sup>th</sup>, 2003 at a speed of 45.6 kph ( 28.3 mph). The FMVSS No. 213 sled pulse was used as a crash pulse. The requirements specified in the FMVSS No. 213 were also followed.

The bench seat contained one anthropomorphic test device (ATD). One (1) Hybrid III 3 year old size ATD, Serial Number 142, was instrumented with head, chest, and pelvic tri-axial accelerometers, and upper and lower neck load cells. The child ATD was positioned according to the child seat manufacturer's instructions. The data was digitally sampled at 20,000 samples per second and processed per Section IP11 of the Laboratory Test Procedure.

Post-test inspection of the Evenflo Victory 5 indicated that the seat back cracked from the tether anchor to the upper handle. See Photo 5 – Test 08-3-27 Post-test Seat Back View.

Test 08-3-28 was conducted at Veridian Engineering on August 13<sup>th</sup>, 2003 at a speed of 45.9 kph ( 28.5 mph). The FMVSS No. 213 sled pulse was used as a crash pulse. The requirements specified in the FMVSS No. 213 were also followed.

The bench seat contained one anthropomorphic test device (ATD). One (1) Hybrid III 3 year old size ATD, Serial Number 142, was instrumented with head, chest, and pelvic tri-axial accelerometers, and upper and lower neck load cells. The child ATD was positioned according to the child seat manufacturer's instructions. The data was digitally sampled at 20,000 samples per second and processed per Section IP11 of the Laboratory Test Procedure.

## SECTION 2

### CHILD RESTRAINT INFORMATION

Test No.: 08-3-27

Test Date: August 12<sup>th</sup>, 2003

Child Restraint Type (forward-facing, rearward facing, booster)	FORWARD FACING
LATCH or NON-LATCH	LAP BELT WITH TETHER
Harness Type	5 -POINT
Child Restraint Manufacturer	EVENFLO
Child Restraint Model	VICTORY 5
Model Number	3771346 P1
Date of Manufacture	2/19/2003
Child Restraint Height Limits (mm)	483 - 1016
Child Restraint Weight Limits (kg)	2.3 – 18.1
Weight of Child Restraint (kg)	5.9

Test No.: 08-3-28

Test Date: August 13<sup>th</sup>, 2003

Child Restraint Type (forward-facing, rearward facing, booster)	FORWARD FACING
LATCH or NON-LATCH	LAP BELT WITH TETHER
Harness Type	OVERHEAD SHIELD
Child Restraint Manufacturer	EVENFLO
Child Restraint Model	VANGUARD 1
Model Number	3681261 P1
Date of Manufacture	1/20/2003
Child Restraint Height Limits (mm)	483 - 1016
Child Restraint Weight Limits (kg)	2.3 – 18.1
Weight of Child Restraint (kg)	6.0

### SECTION 3

#### POST-TEST OBSERVATIONS

Test No.: 08-3-27

Test Date: August 12<sup>th</sup>, 2003

Child Seat	EVENFLO VICTORY 5
Belt Fraying	NONE
Stress Marks	NONE
Cracks	SEAT BACK CRACKED FROM TETHER ANCHOR TO UPPER HANDLE AREA
Buckle Stress	NONE
Latch Hooks	NONE
Max. Head Excursion (mm)	643
Max. Knee Excursion (mm)	764
Velocity	45.6
Acceleration (G's)	23.0

Test No.: 08-3-28

Test Date: August 13<sup>th</sup>, 2003

Child Seat	EVENFLO VANGUARD 1
Belt Fraying	NONE
Stress Marks	NONE
Cracks	NONE
Buckle Stress	NONE
Latch Hooks	NONE
Max. Head Excursion (mm)	622
Max. Knee Excursion (mm)	747
Velocity	45.9
Acceleration (G's)	23.2

## SECTION 4

### HYBRID III 3 YEAR OLD ATD INJURY CRITERIA AND SENSOR DATA

Test No.: 08-3-27

Test Date: August 12<sup>th</sup>, 2003

#### HEAD PRIMARY PEAK ACCELERATIONS

Location	Axis	Units	P6 (Center) Rear Passenger			
			Max	Time	Min	Time
Head CG	X	G's	23.5	210.1	-30.8	83.1
Head CG	Y	G's	2.8	71.0	-2.2	208.2
Head CG	Z	G's	35.8	76.1	-1.9	44.4
Head CG Resultant	N/A	G's	46.8	83.7		

#### CHEST PRIMARY PEAK ACCELERATIONS

Location	Axis	Units	P6 (Center) Rear Passenger			
			Max	Time	Min	Time
Chest CG	X	G's	10.2	238.8	-32.4	68.4
Chest CG	Y	G's	4.0	69.6	-1.4	240.1
Chest CG	Z	G's	9.3	216.5	-34.2	69.4
Chest CG Resultant	N/A	G's	47.1	69.1		

#### SEAT BELT SENSOR PEAK VALUES


Location	Axis	Units	P6 (Center) Rear Passenger			
			Max	Time	Min	Time
Tether Belt	N/A	Newtons	NA	NA		

#### HEAD INJURY CRITERIA (HIC)

Location	P6 (Center) Rear Passenger			
	HIC	Avg. G's	T <sup>1</sup>	T <sup>2</sup>
Head CG Primary (36 msec)	328.7	38.4	64.0	100.0
Head CG Primary (15 msec)	196.6	44.4	74.1	89.1

#### CHEST CLIP (3 MSEC)

Location	P6 (Center) Rear Passenger		
	Clip	T <sup>1</sup>	T <sup>2</sup>
Chest CG Primary	45.8	67.5	70.5



**HYBRID III 3 YEAR OLD ATD INJURY CRITERIA AND SENSOR DATA...(continued)**

Test No.: 08-3-27

Test Date: August 12<sup>th</sup>, 2003

**PELVIC PEAK ACCELERATIONS**

Location	Axis	Units	P6 (Center) Rear Passenger			
			Max	Time	Min	Time
Pelvis	X	G's	30.0	132.9	-46.8	61.6
Pelvis	Y	G's	2.9	119.3	-5.0	79.5
Pelvis	Z	G's	10.3	216.2	-39.8	65.2

**UPPER NECK PEAK FORCES AND MOMENTS**


Location	Axis	Units	P6 (Center) Rear Passenger			
			Max	Time	Min	Time
Neck Force	X	Newtons	9.8	198.0	-761.3	83.0
Neck Force	Y	Newtons	69.5	65.5	-23.9	205.8
Neck Force	Z	Newtons	1608.8	84.5	-131.9	231.6
Neck Moment	X	Nm	4.1	69.1	-2.5	114.1
Neck Moment	Y	Nm	6.1	77.3	-10.0	225.8
Neck Moment	Z	Nm	1.2	215.6	-0.5	241.5

**LOWER NECK PEAK FORCES AND MOMENTS**

Location	Axis	Units	P6 (Center) Rear Passenger			
			Max	Time	Min	Time
Neck Force	X	Newtons	195.1	206.9	-998.1	85.1
Neck Force	Y	Newtons	107.9	71.9	-38.4	206.6
Neck Force	Z	Newtons	567.0	84.5	-85.2	53.6
Neck Moment	X	Nm	13.0	70.3	-3.6	111.5
Neck Moment	Y	Nm	126.2	83.1	-13.4	207.1
Neck Moment	Z	Nm	4.9	70.5	-2.5	111.9

**CHEST PEAK DISPLACEMENTS**

Location	Axis	Units	P6 (Center) Rear Passenger			
			Max	Time	Min	Time
Chest CG	X	mm	0.0	6.9	-15.5	85.2



## HYBRID III 3 YEAR OLD ATD INJURY CRITERIA AND SENSOR DATA

Test No.: 08-3-28

Test Date: August 13<sup>th</sup>, 2003

### HEAD PRIMARY PEAK ACCELERATIONS

Location	Axis	Units	P6 (Center) Rear Passenger			
			Max	Time	Min	Time
Head CG	X	G's	43.5	185.4	-27.8	79.4
Head CG	Y	G's	1.3	189.1	-1.2	76.4
Head CG	Z	G's	36.7	80.6	-0.0	2.5
Head CG Resultant	N/A	G's	46.7	185.3		

### CHEST PRIMARY PEAK ACCELERATIONS

Location	Axis	Units	P6 (Center) Rear Passenger			
			Max	Time	Min	Time
Chest CG	X	G's	5.7	229.4	-28.0	59.9
Chest CG	Y	G's	2.0	62.4	-1.8	82.0
Chest CG	Z	G's	8.4	191.3	-37.2	60.4
Chest CG Resultant	N/A	G's	46.5	60.2		

### SEAT BELT SENSOR PEAK VALUES


Location	Axis	Units	P6 (Center) Rear Passenger			
			Max	Time	Min	Time
Tether Belt	N/A	Newtons	NA	NA		

### HEAD INJURY CRITERIA (HIC)

Location	P6 (Center) Rear Passenger			
	HIC	Avg. G's	T <sup>1</sup>	T <sup>2</sup>
Head CG Primary (36 msec)	308.4	37.4	68.0	104.0
Head CG Primary (15 msec)	172.5	42.1	72.1	87.1

### CHEST CLIP (3 MSEC)

Location	P6 (Center) Rear Passenger		
	Clip	T <sup>1</sup>	T <sup>2</sup>
Chest CG Primary	44.3	58.8	61.8



**HYBRID III 3 YEAR OLD ATD INJURY CRITERIA AND SENSOR DATA...(continued)**

Test No.: 08-3-28

Test Date: August 13<sup>th</sup>, 2003

**PELVIC PEAK ACCELERATIONS**

Location	Axis	Units	P6 (Center) Rear Passenger			
			Max	Time	Min	Time
Pelvis	X	G's	6.7	95.2	-55.4	60.4
Pelvis	Y	G's	2.2	87.6	-4.3	76.8
Pelvis	Z	G's	11.8	191.5	-30.5	54.2

**UPPER NECK PEAK FORCES AND MOMENTS**


Location	Axis	Units	P6 (Center) Rear Passenger			
			Max	Time	Min	Time
Neck Force	X	Newtons	19.6	190.9	-659.6	80.1
Neck Force	Y	Newtons	15.1	118.6	-17.6	100.0
Neck Force	Z	Newtons	1396.2	80.4	-264.1	210.2
Neck Moment	X	Nm	2.9	91.5	-1.2	77.3
Neck Moment	Y	Nm	8.4	65.0	-16.0	210.3
Neck Moment	Z	Nm	1.4	99.3	-1.5	250.0

**LOWER NECK PEAK FORCES AND MOMENTS**

Location	Axis	Units	P6 (Center) Rear Passenger			
			Max	Time	Min	Time
Neck Force	X	Newtons	227.2	187.8	-642.0	80.9
Neck Force	Y	Newtons	46.0	68.0	-47.4	98.7
Neck Force	Z	Newtons	530.4	77.3	-269.4	59.5
Neck Moment	X	Nm	1.9	246.1	-3.8	100.4
Neck Moment	Y	Nm	100.1	80.4	-15.6	187.7
Neck Moment	Z	Nm	0.6	154.1	-6.6	75.9

**CHEST PEAK DISPLACEMENTS**

Location	Axis	Units	P6 (Center) Rear Passenger			
			Max	Time	Min	Time
Chest CG	X	mm	0.0	15.0	-15.6	74.2



## SECTION 5


### SLED TEST SET-UP

Test No.: 08-3-27  
Test No.: 08-3-28

Test Date: August 12<sup>th</sup>, 2003  
Test Date: August 13<sup>th</sup>, 2003

An FMVSS 213 test bench was fastened on the sled in order to simulate a frontal impact. One child seat was placed on the bench and fastened in a manner suggested in the owner's manual of the child seat. Stadia poles were set up to measure dummy head and knee excursions.

Pre-test Infant and Car Seat Positions




**SECTION 6**  
**CAMERA LOCATION**

Test No.: 08-3-27  
Test No.: 08-3-28

Test Date: August 12<sup>th</sup>, 2003  
Test Date: August 13<sup>th</sup>, 2003


There were two cameras mounted onto the sled carriage for views of the left and right side of the child seat.




**SECTION 7**  
**PHOTOGRAPHS**

TABLE OF PHOTOGRAPHS

<u>Photographs</u>	<u>Page No.</u>
Photo 1 – Test 08-3-27 Pre-Test and Post-Test Right Side View	11
Photo 2 – Test 08-3-27 Pre-Test and Post-Test Right Front View	12
Photo 3 – Test 08-3-27 Pre-Test and Post-Test Left Front View	13
Photo 4 – Test 08-3-27 Pre-Test and Post-Test Left Side View	14
Photo 5 – Test 08-3-27 Post-Test Seat Back View	15
Photo 6 – Test 08-3-28 Pre-Test and Post-Test Right Side View	16
Photo 7 – Test 08-3-28 Pre-Test and Post-Test Right Front View	17
Photo 8 – Test 08-3-28 Pre-Test and Post-Test Left Front View	18
Photo 9 – Test 08-3-28 Pre-Test and Post-Test Left Side View	19



















## **SECTION 8**


### **Data Plots**

Sled Test NCAP SLED 08-3-27

Sled Pulse Corridor

Max: 23.0 [g] at 0.030 [s]

Min: -2.0 [g] at 0.090 [s]



FACILITY: HYGE SLED

DATE: August 12, 2003

TEST#: 08-3-27

TITLE: Sled Test NCAP SLED 08-3-27

CHN	NAME	Unit	Max	msec	Min	msec	Filt	Comment
26	Sled Acceleration	g	23.0	29.6	-2.0	90.0	CFC_60	
27	Sled Acceleration Velocity	kph	45.6	79.1	-0.1	-9.5	CFC_180	
28	Sled Acceleration Displacement	mm	2586.5	250.0	-0.0	-2.0	CFC_180	
29	P6 Head x	g	23.5	210.1	-30.8	83.1	CFC_1000	
30	P6 Head y	g	2.8	71.0	-2.2	208.2	CFC_1000	
31	P6 Head z	g	35.8	76.1	-1.9	44.4	CFC_1000	
32	P6 Head Resultant	g	46.8	83.7	0.0	-8.3	CFC_1000	
33	P6 Upper Neck Fx	N	9.8	198.0	-761.3	83.0	CFC_1000	
34	P6 Upper Neck Fy	N	69.5	65.5	-23.9	205.8	CFC_1000	
35	P6 Upper Neck Fz	N	1608.8	84.5	-131.9	231.6	CFC_1000	
36	P6 Upper Neck F Resultant	N	1777.2	83.6	0.0	-8.2	CFC_1000	
37	P6 Upper Neck Mx	N-m	4.1	69.1	-2.5	114.1	CFC_600	
38	P6 Upper Neck My	N-m	6.1	77.3	-10.0	225.8	CFC_600	
39	P6 Upper Neck Mz	N-m	1.2	215.6	-0.5	241.5	CFC_600	
40	P6 Upper Neck M Resultant	N-m	10.2	225.3	0.0	-3.9	CFC_600	
41	P6 Lower Neck Fx	N	195.1	206.9	-998.1	85.1	CFC_1000	
42	P6 Lower Neck Fy	N	107.9	71.9	-38.4	206.6	CFC_1000	
43	P6 Lower Neck Fz	N	567.0	84.5	-85.2	53.6	CFC_1000	
44	P6 Lower Neck F Resultant	N	1146.8	84.5	0.0	-11.6	CFC_1000	
45	P6 Lower Neck Mx	N-m	13.0	70.3	-3.6	111.5	CFC_600	
46	P6 Lower Neck My	N-m	126.2	83.1	-13.4	207.1	CFC_600	
47	P6 Lower Neck Mz	N-m	4.9	70.5	-2.5	111.9	CFC_600	
48	P6 Lower Neck M Resultant	N-m	126.4	83.1	0.0	-9.3	CFC_600	
49	P6 Chest x	g	10.2	238.8	-32.4	68.4	CFC_180	
50	P6 Chest y	g	4.0	69.6	-1.4	240.1	CFC_180	
51	P6 Chest z	g	9.3	216.5	-34.2	69.4	CFC_180	
52	P6 Chest Resultant	g	47.1	69.1	0.0	-10.6	CFC_180	
53	P6 Pelvic x	g	30.0	132.9	-46.8	61.6	CFC_1000	
54	P6 Pelvic y	g	2.9	119.3	-5.0	79.5	CFC_1000	
55	P6 Pelvic z	g	10.3	216.2	-39.8	65.2	CFC_1000	
56	P6 Pelvic Resultant	g	59.4	64.8	0.0	-10.0	CFC_1000	
57	P6 Head Red z	g	59.3	83.6	-12.4	45.8	CFC_1000	
58	P6 Chest Compression	mm	0.0	6.9	-15.5	85.2	CFC_600	
59	P6 Upper Neck Mocy	N-m	6.1	77.3	-10.0	225.8	CFC_600	

FACILITY: HYGE SLED  
TEST#: 08-3-27  
TITLE: Sled Test NCAP SLED 08-3-27  
Version 5.00

DATE: August 12, 2003

=====

P6 HIC(36 ms): 328.7  
t1: 64.0 msec  
t2: 100.0 msec  
Duration: 36.0 msec  
Average Acceleration: 38.4 g  
Input channels: P6 Head x (2) CFC\_1000  
P6 Head y (3) CFC\_1000  
P6 Head z (4) CFC\_1000

P6 UP NECK Fx: Max: 9.8 N 198.0 msec  
Min: -761.3 N 83.0 msec  
Input channel: P6 Upper Neck Fx (6) CFC\_1000

P6 UP NECK Fz: Max: 1608.8 N 84.5 msec  
Min: -131.9 N 231.6 msec  
Input channel: P6 Upper Neck Fz (8) CFC\_1000

P6 UP NECK MocY (3YO Child OOP)  
Max: 6.1 N-m 77.3 msec  
Min: -10.0 N-m 225.8 msec  
Input channels: P6 Upper Neck Fx (6) CFC\_600  
P6 Upper Neck My (10) CFC\_600  
Docy: 0

P6 UP NECK Nij (3YO Child OOP)  
Ntf: 0.76 Nij 83.5 msec CVt: 2120 CVf: 68  
Nte: 0.88 Nij 89.8 msec CVt: 2120 CVe: 27  
Ncf: 0.00 Nij -4.8 msec CVc: 2120 CVf: 68  
Nce: 0.42 Nij 225.8 msec CVc: 2120 CVe: 27  
Input channels: P6 Upper Neck Fz (8) CFC\_600  
P6 Upper Neck MocY [N-m, CFC\_600] (67)

FACILITY: HYGE SLED  
TEST#: 08-3-27  
TITLE: Sled Test NCAP SLED 08-3-27  
Version 5.00

DATE: August 12, 2003

=====

P6 CLIP(3 ms): 45.8 g  
t1: 67.5 msec  
t2: 70.5 msec  
Duration: 3.0 msec

P6 CSI: 272.9  
Input channels: P6 Chest x (18) CFC\_180  
P6 Chest y (19) CFC\_180  
P6 Chest z (20) CFC\_180

P6 CHEST DISP: Max: 0.0 mm 6.9 msec  
Min: -15.5 mm 85.2 msec  
Input channel: P6 Chest Compression (21) CFC\_600





=====

P6 HIC(15 ms): 196.6  
t1: 74.1 msec  
t2: 89.1 msec  
Duration: 15.0 msec  
Average Acceleration: 44.4 g  
Input channels: P6 Head x (2) CFC\_1000  
P6 Head y (3) CFC\_1000  
P6 Head z (4) CFC\_1000

=====

# Sled Test NCAP SLED 08-3-27


- August 12, 2003




# Sled Test NCAP SLED 08-3-27

- August 12, 2003


### P6 Head x




### P6 Head y



### P6 Head z







### P6 Head Resultant







# Sled Test NCAP SLED 08-3-27

- August 12, 2003







# Sled Test NCAP SLED 08-3-27

- August 12, 2003







# Sled Test NCAP SLED 08-3-27

- August 12, 2003



# Sled Test NCAP SLED 08-3-27


- August 12, 2003




# Sled Test NCAP SLED 08-3-27

- August 12, 2003


### P6 Chest x




### P6 Chest y



### P6 Chest z







### P6 Chest Resultant



# Sled Test NCAP SLED 08-3-27


- August 12, 2003




# Sled Test NCAP SLED 08-3-27

- August 12, 2003


### P6 Head Red z




### P6 Chest Compression



### P6 Upper Neck Mocyc



### BLANK




Sled Test NCAP SLED 08-3-28

Sled Pulse Corridor

Max: 23.2 [g] at 0.030 [s]

Min: -1.7 [g] at 0.089 [s]



FACILITY: HYGE SLED

DATE: August 13, 2003

TEST#: 08-3-28

TITLE: Sled Test NCAP SLED 08-3-28

CHN	NAME	Unit	Max	msec	Min	msec	Filt	Comment
26	Sled Acceleration	g	23.2	29.5	-1.7	89.4	CFC_60	
27	Sled Acceleration Velocity	kph	45.9	79.4	-0.0	-11.3	CFC_180	
28	Sled Acceleration Displacement	mm	2610.6	250.0	-0.0	-2.1	CFC_180	
29	P6 Head x	g	43.5	185.4	-27.8	79.4	CFC_1000	
30	P6 Head y	g	1.3	189.1	-1.2	76.4	CFC_1000	
31	P6 Head z	g	36.7	80.6	-0.0	2.5	CFC_1000	
32	P6 Head Resultant	g	46.7	185.3	0.0	-19.2	CFC_1000	
33	P6 Upper Neck Fx	N	19.6	190.9	-659.6	80.1	CFC_1000	
34	P6 Upper Neck Fy	N	15.1	118.6	-17.6	100.0	CFC_1000	
35	P6 Upper Neck Fz	N	1396.2	80.4	-264.1	210.2	CFC_1000	
36	P6 Upper Neck F Resultant	N	1543.5	80.4	0.1	-8.8	CFC_1000	
37	P6 Upper Neck Mx	N-m	2.9	91.5	-1.2	77.3	CFC_600	
38	P6 Upper Neck My	N-m	8.4	65.0	-16.0	210.3	CFC_600	
39	P6 Upper Neck Mz	N-m	1.4	99.3	-1.5	250.0	CFC_600	
40	P6 Upper Neck M Resultant	N-m	16.0	210.3	0.0	-12.8	CFC_600	
41	P6 Lower Neck Fx	N	227.2	187.8	-642.0	80.9	CFC_1000	
42	P6 Lower Neck Fy	N	46.0	68.0	-47.4	98.7	CFC_1000	
43	P6 Lower Neck Fz	N	530.4	77.3	-269.4	59.5	CFC_1000	
44	P6 Lower Neck F Resultant	N	809.9	80.2	0.0	-3.5	CFC_1000	
45	P6 Lower Neck Mx	N-m	1.9	246.1	-3.8	100.4	CFC_600	
46	P6 Lower Neck My	N-m	100.1	80.4	-15.6	187.7	CFC_600	
47	P6 Lower Neck Mz	N-m	0.6	154.1	-6.6	75.9	CFC_600	
48	P6 Lower Neck M Resultant	N-m	100.3	80.4	0.0	-8.0	CFC_600	
49	P6 Chest x	g	5.7	229.4	-28.0	59.9	CFC_180	
50	P6 Chest y	g	2.0	62.4	-1.8	82.0	CFC_180	
51	P6 Chest z	g	8.4	191.3	-37.2	60.4	CFC_180	
52	P6 Chest Resultant	g	46.5	60.2	0.0	-9.4	CFC_180	
53	P6 Pelvic x	g	6.7	95.2	-55.4	60.4	CFC_1000	
54	P6 Pelvic y	g	2.2	87.6	-4.3	76.8	CFC_1000	
55	P6 Pelvic z	g	11.8	191.5	-30.5	54.2	CFC_1000	
56	P6 Pelvic Resultant	g	62.1	60.6	0.0	-11.6	CFC_1000	
57	P6 Upper Neck Mocy	N-m	8.4	65.0	-16.0	210.3	CFC_600	
58	P6 Head Red z	g	49.9	76.8	-31.4	185.7	CFC_1000	
59	P6 Chest Compression	mm	0.0	15.0	-15.6	74.2	CFC_600	

FACILITY: HYGE SLED  
TEST#: 08-3-28  
TITLE: Sled Test NCAP SLED 08-3-28  
Version 5.00

DATE: August 13, 2003

=====

P6 HIC(36 ms): 308.4  
t1: 68.0 msec  
t2: 104.0 msec  
Duration: 36.0 msec  
Average Acceleration: 37.4 g  
Input channels: P6 Head x (2) CFC\_1000  
P6 Head y (3) CFC\_1000  
P6 Head z (4) CFC\_1000

P6 UP NECK Fx: Max: 19.6 N 190.9 msec  
Min: -659.6 N 80.1 msec  
Input channel: P6 Upper Neck Fx (6) CFC\_1000

P6 UP NECK Fz: Max: 1396.2 N 80.4 msec  
Min: -264.1 N 210.2 msec  
Input channel: P6 Upper Neck Fz (8) CFC\_1000

36

P6 UP NECK MocY (3YO Child OOP)  
Max: 8.4 N-m 65.0 msec  
Min: -16.0 N-m 210.3 msec  
Input channels: P6 Upper Neck Fx (6) CFC\_600  
P6 Upper Neck My (10) CFC\_600  
Docy: 0

P6 UP NECK Nij (3YO Child OOP)  
Ntf: 0.64 Nij 77.1 msec CVt: 2120 CVf: 68  
Nte: 0.76 Nij 81.3 msec CVt: 2120 CVe: 27  
Ncf: 0.00 Nij -10.0 msec CVc: 2120 CVf: 68  
Nce: 0.72 Nij 210.3 msec CVc: 2120 CVe: 27  
Input channels: P6 Upper Neck Fz (8) CFC\_600  
P6 Upper Neck MocY [N-m, CFC\_600] (55)

FACILITY: HYGE SLED  
TEST#: 08-3-28  
TITLE: Sled Test NCAP SLED 08-3-28  
Version 5.00

DATE: August 13, 2003

=====

P6 CLIP(3 ms): 44.3 g  
t1: 58.8 msec  
t2: 61.8 msec  
Duration: 3.0 msec

P6 CSI: 260.9  
Input channels: P6 Chest x (18) CFC\_180  
P6 Chest y (19) CFC\_180  
P6 Chest z (20) CFC\_180

P6 CHEST DISP: Max: 0.0 mm 15.0 msec  
Min: -15.6 mm 74.2 msec  
Input channel: P6 Chest Compression (21) CFC\_600





=====

P6 HIC(15 ms): 172.5  
t1: 72.1 msec  
t2: 87.1 msec  
Duration: 15.0 msec  
Average Acceleration: 42.1 g  
Input channels: P6 Head x (2) CFC\_1000  
P6 Head y (3) CFC\_1000  
P6 Head z (4) CFC\_1000

=====

# Sled Test NCAP SLED 08-3-28


- August 13, 2003




# Sled Test NCAP SLED 08-3-28

- August 13, 2003


### P6 Head x




### P6 Head y



### P6 Head z







### P6 Head Resultant







# Sled Test NCAP SLED 08-3-28

- August 13, 2003







# Sled Test NCAP SLED 08-3-28

- August 13, 2003







# Sled Test NCAP SLED 08-3-28

- August 13, 2003



# Sled Test NCAP SLED 08-3-28


- August 13, 2003




# Sled Test NCAP SLED 08-3-28

- August 13, 2003


### P6 Chest x




### P6 Chest y



### P6 Chest z




### P6 Chest Resultant




# Sled Test NCAP SLED 08-3-28

- August 13, 2003


### P6 Pelvic x




### P6 Pelvic y



### P6 Pelvic z




### P6 Pelvic Resultant




# Sled Test NCAP SLED 08-3-28

- August 13, 2003


### P6 Upper Neck Mocyc




### P6 Head Red z



### P6 Chest Compression



### BLANK



**SECTION 9**

**Compression – Deflection Resistance Test**

2" X 20" 2' X 24" I3


Foam No. \_\_\_\_\_

Date 8/12/03

Performed By [Signature]

Temp. 70°


Humidity 50%



Test 08-3-27

Compression - Deflection Resistance Test  
Child Seat Foam

Date 8/12/03  
 Temp 70°  
 Humidity 50%  
 Foam No. 2" X 20" 2" X 24" I3




Compression - Deflection Resistance Test Child Seat Foam

Test 08-3-27

SEAT FOAM USAGE LOG


2" X 20" 2" X 29" I3

Foam I.D. Number

Date	Peak Load	Pass/Fail
8/12/03	47235	

Foam No. 9" X 20" X 3


Date 8/12/03  
Performed By [Signature]  
Temp. 70°  
Humidity 50%



Compression - Deflection Resistance Test  
Child Seat Foam

Test 08-3-27

Date 8/12/03  
 Temp 70°  
 Humidity 50%  
 Foam No. 4" X 20" I3



Compression - Deflection Resistance Test Child Seat Foam

Test 08-3-27

SEAT FOAM USAGE LOG


4" X 20" I3

Foam I.D. Number

Date	Peak Load	Pass/Fail
8/12/03	23.5 LBS	Pass

Foam No. 1 x 29" I3


Date 8/12/03  
Performed By [Signature]  
Temp. 70°  
Humidity 50%



Compression - Deflection Resistance Test  
Child Seat Foam

Test 08-3-27

Date 8/2/03  
 Temp 70  
 Humidity 50%  
 Foam No. 4" X 24" I3



Compression - Deflection Resistance Test Child Seat Foam

Test 08-3-27


SEAT FOAM USAGE LOG

Foam I.D. Number 4x24 I3

Pass/Fail	Peak Load	Date
Pass	25,25435	8/12/03

Foam No. 2" X 20" X 24" I-7


Date 8/13/03  
Performed By [Signature]  
Temp. 70°  
Humidity 50%



Compression - Deflection Resistance Test  
Child Seat Foam

Test 08-3-28

Date 8/13/03  
 Temp 70°  
 Humidity 50%  
 Foam No. 2" X 20' Z" X 24" I-3



**Compression - Deflection Resistance Test Child Seat Foam**

Test 08-3-28

SEAT FOAM USAGE LOG


2' x 20" x 29" I7

Foam I.D. Number

Date	Peak Load	Pass/Fail
8/13/03	49 LBS	PASS

Date 8/13/09 ( )  
 Performed By SP  
 Temp. 70  
 Humidity 50%


Foam No. 4x20" I7



Compression - Deflection Resistance Test  
 Child Seat Foam

Test 08-3-28

Date 8/13/03  
 Temp 70°  
 Humidity 50%  
 Foam No. 4" X 20" 7.9



Compression - Deflection Resistance Test Child Seat Foam Test 08-3-28

SEAT FOAM USAGE LOG


4" X 20" I7

Foam I.D. Number

Date	Peak Load	Pass/Fail
8/13/03	234BS	Pass

Date 8/13/03  
Performed By SD  
Temp. 70  
Humidity 50%


Foam No. 4" X 24" I-7



Compression - Deflection Resistance Test  
Child Seat Foam

Test 08-3-28

Date 8/13/03  
 Temp 70°  
 Humidity 50%  
 Foam No. 9" X 24" I-7



Compression - Deflection Resistance Test Child Seat Foam

Test 08-3-28

SEAT FOAM USAGE LOG

Foam I.D. Number 4" X 24" I7

Date	Peak Load	Pass/Fail
8/13/03	24 LBS	Pass

**SECTION 10**

**Child Dummy Calibration Data Traces and Tables**

# HYIII 3 Year Old Head Drop Test S/N:142

Part 572P Head Drop

Calibration Date: July 21, 2003

Serial No: 142

Work File: 4001

## -----TEST RESULTS-----


<u>TEST CONDITION</u>	<u>PARAMETERS</u>	<u>RESULTS</u>	<u>STATUS</u>
Lab Temperature:	66.0-78.0 F	70.0 F	Passed
Lab Humidity:	10-70 %	35.00 %	Passed
Peak Resultant Accel.:	250-280 Gs	279.06 Gs	Passed
Peak Lateral Accel.:	15 Gs Max	14.76 Gs	Passed
Curve PerCent NonModal:	< 10%	4.82 %	Passed

HYIII 3 Year Old Head Drop Test S/N:142

Head Resultant

Max: 279.1 [g] at 0.005 [s]

Min: 0.0 [g] at 0.398 [s]



## Hybrid III Head Neck Extention Test S/N:142

Part 572P Neck Extension Test Calibration Date: July 16, 2003  
Serial No: 142 Work File: 4001

### -----TEST RESULTS-----

<u>TEST CONDITION</u>	<u>PARAMETERS</u>	<u>RESULTS</u>	<u>STATUS</u>
Lab Temperature:	69.0-72.0 F	70.00 F	Passed
Lab Humidity:	10-70 %	35.00 %	Passed
Test Pendulum Speed:	11.58-12.38 ft/s	12.30 ft/s	Passed

### -----PENDULUM PULSE-----

Pulse at 6 ms:	3.30- 4.60 ft/s	3.88 ft/s	Passed
Pulse at 10 ms:	6.20- 8.20 ft/s	6.82 ft/s	Passed
Pulse at 14 ms:	9.20-11.50 ft/s	9.36 ft/s	Passed

### -----D PLANE ROTATION-----

Maximum Rotation:	83.0-93.0 Deg	84.20 Deg	Passed
-------------------	---------------	-----------	--------

### -----MOMENT ABOUT THE OCCIPITAL CONDYLE-----

Max Occipital Moment:	-53.30--43.70 N-m	-44.75 N-m	Passed
Occipital Moment Decay:	60.0-80.0 ms	65.30 ms	Passed

# Hybrid III 3 Year Old Head Neck Flexion Test S/N:142

Part 572P                      Neck Flexion Test                      Calibration Date:                      July 16, 2003  
Serial No:                      142                      Work File:                      4001

## -----TEST RESULTS-----

<u>TEST CONDITION</u>	<u>PARAMETERS</u>	<u>RESULTS</u>	<u>STATUS</u>
Lab Temperature:	69.0-72.0 F	70.00 F	Passed
Lab Humidity:	10-70 %	35.00 %	Passed
Test Pendulum Speed:	17.65-18.45 ft/s	18.34 ft/s	Passed

## -----PENDULUM PULSE-----

Pulse at 10 ms:	6.60- 8.90 ft/s	7.19 ft/s	Passed
Pulse at 15 ms:	9.80-13.10 ft/s	10.46 ft/s	Passed
Pulse at 20 ms:	13.10-16.70 ft/s	14.31 ft/s	Passed

## -----D PLANE ROTATION-----

Maximum Rotation:	70.0-82.0 Deg	77.80 Deg	Passed
-------------------	---------------	-----------	--------

## -----MOMENT ABOUT THE OCCIPITAL CONDYLE-----

Max Occipital Moment:	42.00- 53.00 N-m	50.03 N-m	Passed
Occipital Moment Decay:	60.0-80.0 ms	73.8 ms	Passed

# Hybrid III 3 Year Old Thorax Test S/N:142

Part 572P Thorax Impact

Calibration Date: July 21, 2003

Serial No: 142

Work File: 4001

## -----TEST RESULTS-----


<u>TEST CONDITION</u>	<u>PARAMETERS</u>	<u>RESULTS</u>	<u>STATUS</u>
Lab Temperature:	20.6-22.2 C	21.1 C	Passed
Lab Humidity:	10-70 %	34.00 %	Passed
Pendulum Velocity:	5.90- 6.10 m/s	6.07 m/s	Passed
Maximum Deflection:	32.00-38.00 mm	36.06 mm	Passed
Maximum Res. Force:	680.00- 810.00 N	709.45 N	Passed
Internal Hysteresis:	65-85 %	75.47 %	Passed
Pass Sternum Force Criteria?:	860.00 N	846.79	Passed

Hybrid III 3 Year Old Thorax Test S/N:142

Probe Force vs. Displacement

Max: 1388.0 [N] at 3.104 [mm]

Min: -48.5 [N] at 0.011 [mm]



**SECTION 11**

**Test Equipment and Instrumentation Calibration**

Calibrations for Run 08-3-27 and Run 08-3-28

SHORTNAME	SENSCOM	CALDATE
Sled Ax	MFG: ENDEVCO S/N: 24144	7/24/2003
P6 HDCG Ax	MFG: ENTRAN S/N: 99108-F29	7/15/2003
P6 HDCG Ay	MFG: ENTRAN S/N: 99102-F12	7/15/2003
P6 HDCG Az	MFG: ENTRAN S/N: 00L13-F03	7/15/2003
P6 HDCG RAz	MFG: ENTRAN S/N: 98G18-F18	7/15/2003
P6 CHST Ax	MFG: ENTRAN S/N: 99108-F30	7/15/2003
P6 CHST Ay	MFG: ENTRAN S/N: 99108-F28	7/15/2003
P6 CHST Az	MFG: ENTRAN S/N: 99H30-Z04	7/15/2003
P6 CHST Dx	MFG: SERVO S/N: 142	7/22/2003
P6 PVCN Ax	MFG: ENTRAN S/N: 99102-F06	7/15/2003
P6 PVCN Ay	MFG: ENTRAN S/N: 99102-F15	7/15/2003
P6 PVCN Az	MFG: ENTRAN S/N: 99G29-Q13	7/15/2003
P6 NEKU Fx	MFG: Denton S/N: 213-FX	7/21/2003
P6 NEKU Fy	MFG: Denton S/N: 213-Fy	7/21/2003
P6 NEKU Fz	MFG: Denton S/N: 213-Fz	7/21/2003
P6 NEKU Mx	MFG: Denton S/N: 213-Mx	7/21/2003
P6 NEKU My	MFG: Denton S/N: 213-My	7/21/2003
P6 NEKU Mz	MFG: Denton S/N: 213-Mz	7/21/2003
P6 NEKL Fx	MFG: Denton S/N: 214Fx	7/21/2003
P6 NEKL Fy	MFG: Denton S/N: 214-Fy	7/21/2003
P6 NEKL Fz	MFG: Denton S/N: 214-Fz	7/21/2003
P6 NEKL Mx	MFG: Denton S/N: 214-Mx	7/21/2003
P6 NEKL My	MFG: Denton S/N: 214-My	7/21/2003
P6 NEKL Mz	MFG: Denton S/N: 214-Mz	7/21/2003

**SECTION 12**

**Link to High Speed Movies**

Test 08-3-27 North View

Test 08-3-27 South View

**Link to High Speed Movies**

Test 08-3-28 North View

Test 08-3-28 South View