

APPENDIX C
PRE-TEST SID / HIII CONFIGURATION AND PERFORMANCE VERIFICATION DATA

Test Program: SID / HIII External Measurements
ATD Serial No.: 275

Test Date: 8/31/07
Test I.D.: N/A




Tested Parameter	Units	Specification	Result	Pass/Fail
Laboratory Temperature	°C	18.9 to 25.6	21.1	Pass
Laboratory Relative Humidity	%	10 to 70	30	Pass
SH- Seated Height	mm	889 to 909	900	Pass
HP- Hip Point Height	mm	99 (reference)	99	Pass
RH- Rib Height	mm	502 to 520	517	Pass
KH- Knee Pivot From Back Line	mm	511 to 526	516	Pass
KV- Knee Pivot From Floor	mm	490 to 505	493	Pass
HW- Hip Width	mm	356 to 391	370	Pass
Overall Test Results				Pass

Test Program: SID / HIII Thorax Lateral Impact
 ATD Serial No.: 275


Test Date: 8/31/07
 Test I.D.: TH08L1




Tested Parameter	Units	Specification	Result	Pass/Fail
Laboratory Temperature	°C	18.9 to 25.6	21.1	Pass
Laboratory Relative Humidity	%	10 to 70	30	Pass
Probe Velocity	m/s	4.21 to 4.33	4.30	Pass
Upper Rib Acceleration	G's	37.0 to 46.0	43.6	Pass
Lower Rib Acceleration	G's	37.0 to 46.0	42.1	Pass
Thoracic Spine Acceleration	G's	15.0 to 22.0	19.7	Pass
Overall Test Results			Pass	



Curve Description			
Upper Rib Y Primary			
CURNO	Type	SAE Class	Units
001	FIL	FIR100	G's
Max	Time	Min	Time
43.6	23.2	-16.2	51.9



Curve Description			
Lower Rib Y Primary			
CURNO	Type	SAE Class	Units
002	FIL	FIR100	G's
Max	Time	Min	Time
42.1	23.2	-13.7	31.9




Curve Description			
Lower Spine Y Primary			
CURNO	Type	SAE Class	Units
003	FIL	FIR100	G's
Max	Time	Min	Time
19.7	26.9	-4.3	36.9

Test Program: SID / HIII Pelvis Lateral Impact
 ATD Serial No.: 275

Test Date: 8/31/07
 Test I.D.: PL08L1



Tested Parameter	Units	Specification	Result	Pass/Fail
Laboratory Temperature	°C	18.9 to 25.6	21.1	Pass
Laboratory Relative Humidity	%	10 to 70	30	Pass
Probe Velocity	m/s	4.21 to 4.33	4.28	Pass
Peak Pelvis Acceleration	G's	40.0 to 60.0	46.4	Pass
Acceleration Time Above 20 G's	Msec.	3.0 to 7.0	4.90	Pass
Overall Test Results				Pass




Curve Description			
Pelvis Y Primary			
CURNO	Type	SAE Class	Units
001	FIL	FIR100	G's
Max	Time	Min	Time
46.4	11.3	-9.7	24.4

Test Program: SID / HIII Head Drop Lateral Impact Test
 ATD Serial No.: 275


Test Date: 8/31/07
 Test I.D.: HD08L1



Tested Parameter	Units	Specification	Result	Pass/Fail
Laboratory Temperature	°C	18.9 to 25.6	21.7	Pass
Laboratory Relative Humidity	%	10 to 70	30	Pass
Peak Resultant Acceleration	G's	120.0 to 150.0	136.3	Pass
Peak Longitudinal Acceleration	G's	≤15.0	8.9	Pass
Is Acceleration Unimodal?	Yes/No	Yes	Yes	Pass
Oscillations After Main Pulse	%	<15	4.4	Pass
Overall Test Results			Pass	



Curve Description			
Head Resultant			
CURNO	Type	SAE Class	Units
001	RES	1000	G's
Max	Time	Min	Time
136.3	2.3	0.1	-0.6




Curve Description			
Head X			
CURNO	Type	SAE Class	Units
002	FIL	1000	G's
Max	Time	Min	Time
6.6	4.0	-8.9	2.2

Test Program: SID / HIII Neck Pendulum Lateral Test
 ATD Serial No.: 275


Test Date: 8/31/07
 Test I.D.: NB08L1




Tested Parameter		Units	Specification	Result	Pass/Fail
Laboratory Temperature		°C	20.6 to 22.2	21.1	Pass
Laboratory Relative Humidity		%	10 to 70	30	Pass
Pendulum Velocity		m/sec	6.89 to 7.13	7.07	Pass
Pendulum Deceleration	10 Msec.	m/sec	1.96 to 2.55	2.09	Pass
	20 Msec.	m/sec	4.12 to 5.10	4.32	Pass
	30 Msec.	m/sec	5.73 to 7.01	6.13	Pass
	40 to 70	m/sec	6.27 to 7.64	6.88	Pass
"D" Plane Rotation	Max	Degrees	66.0 to 82.0	77.2	Pass
Max Rotation Time After Peak Moment		Msec.	2.0 to 16.0	15.4	Pass
Rotation Time From Peak to Zero Angle		Msec.	58.0 to 67.0	61.9	Pass
Moment About Occipital Condyle		Nm	73.0 to 88.0	80.7	Pass
Positive Moment Decay, Time To 0 Nm		Msec.	49.0 to 64.0	50.4	Pass
Overall Test Results				Pass	



Curve Description			
Pendulum Velocity			
CURNO	Type	SAE Class	Units
001	FIL	180	m/sec
Max	Time	Min	Time
8.4	196.6	0.0	-0.1



Curve Description			
"D" Plane Rotation			
CURNO	Type	SAE Class	Units
003	FIL	60	Degrees
Max	Time	Min	Time
77.2	53.7	-27.3	155.3



Curve Description			
Moment About Occipital Condyle			
CURNO	Type	SAE Class	Units
004	FIL	600	Nm
Max	Time	Min	Time
80.7	38.3	-26.4	151.0

Test Program: SID / HIII External Measurements
 ATD Serial No.: 274

Test Date: 8/31/07
 Test I.D.: N/A




Tested Parameter	Units	Specification	Result	Pass/Fail
Laboratory Temperature	°C	18.9 to 25.6	21.1	Pass
Laboratory Relative Humidity	%	10 to 70	30	Pass
SH- Seated Height	mm	889 to 909	897	Pass
HP- Hip Point Height	mm	99 (reference)	99	Pass
RH- Rib Height	mm	502 to 520	511	Pass
KH- Knee Pivot From Back Line	mm	511 to 526	519	Pass
KV- Knee Pivot From Floor	mm	490 to 505	498	Pass
HW- Hip Width	mm	356 to 391	366	Pass
Overall Test Results				Pass

Test Program: SID / HIII Thorax Lateral Impact
 ATD Serial No.: 274


Test Date: 8/31/07
 Test I.D.: TH08K1




Tested Parameter	Units	Specification	Result	Pass/Fail
Laboratory Temperature	°C	18.9 to 25.6	21.1	Pass
Laboratory Relative Humidity	%	10 to 70	30	Pass
Probe Velocity	m/s	4.21 to 4.33	4.32	Pass
Upper Rib Acceleration	G's	37.0 to 46.0	44.5	Pass
Lower Rib Acceleration	G's	37.0 to 46.0	43.8	Pass
Thoracic Spine Acceleration	G's	15.0 to 22.0	20.3	Pass
Overall Test Results			Pass	



Curve Description			
Upper Rib Y Primary			
CURNO	Type	SAE Class	Units
001	FIL	FIR100	G's
Max	Time	Min	Time
44.5	23.2	-16.6	51.9



Curve Description			
Lower Rib Y Primary			
CURNO	Type	SAE Class	Units
002	FIL	FIR100	G's
Max	Time	Min	Time
43.8	23.2	-14.2	31.9




Curve Description			
Lower Spine Y Primary			
CURNO	Type	SAE Class	Units
003	FIL	FIR100	G's
Max	Time	Min	Time
20.3	26.9	-4.4	36.9

Test Program: SID / HIII Pelvis Lateral Impact
 ATD Serial No.: 274

Test Date: 8/31/07
 Test I.D.: PL08K1



Tested Parameter	Units	Specification	Result	Pass/Fail
Laboratory Temperature	°C	18.9 to 25.6	21.1	Pass
Laboratory Relative Humidity	%	10 to 70	30	Pass
Probe Velocity	m/s	4.21 to 4.33	4.32	Pass
Peak Pelvis Acceleration	G's	40.0 to 60.0	45.0	Pass
Acceleration Time Above 20 G's	Msec.	3.0 to 7.0	4.90	Pass
Overall Test Results				Pass




Curve Description			
Pelvis Y Primary			
CURNO	Type	SAE Class	Units
001	FIL	FIR100	G's
Max	Time	Min	Time
45.0	11.3	-9.4	24.4

Test Program: SID / HIII Head Drop Lateral Impact Test
 ATD Serial No.: 274


Test Date: 8/31/07
 Test I.D.: HD08K1



Tested Parameter	Units	Specification	Result	Pass/Fail
Laboratory Temperature	°C	18.9 to 25.6	21.7	Pass
Laboratory Relative Humidity	%	10 to 70	30	Pass
Peak Resultant Acceleration	G's	120.0 to 150.0	133.4	Pass
Peak Longitudinal Acceleration	G's	≤15.0	6.9	Pass
Is Acceleration Unimodal?	Yes/No	Yes	Yes	Pass
Oscillations After Main Pulse	%	<15	4.0	Pass
Overall Test Results				Pass



Curve Description			
Head Resultant			
CURNO	Type	SAE Class	Units
001	RES	1000	G's
Max	Time	Min	Time
133.4	2.3	0.1	-1.0




Curve Description			
Head X			
CURNO	Type	SAE Class	Units
002	FIL	1000	G's
Max	Time	Min	Time
5.0	4.0	-6.9	2.2

Test Program: SID / HIII Neck Pendulum Lateral Test
 ATD Serial No.: 274

Test Date: 8/31/07
 Test I.D.: NB08K1




Tested Parameter		Units	Specification	Result	Pass/Fail
Laboratory Temperature		°C	20.6 to 22.2	21.1	Pass
Laboratory Relative Humidity		%	10 to 70	30	Pass
Pendulum Velocity		m/sec	6.89 to 7.13	7.07	Pass
Pendulum Deceleration	10 Msec.	m/sec	1.96 to 2.55	2.30	Pass
	20 Msec.	m/sec	4.12 to 5.10	4.76	Pass
	30 Msec.	m/sec	5.73 to 7.01	6.74	Pass
	40 to 70	m/sec	6.27 to 7.64	7.57	Pass
"D" Plane Rotation	Max	Degrees	66.0 to 82.0	77.6	Pass
Max Rotation Time After Peak Moment		Msec.	2.0 to 16.0	15.4	Pass
Rotation Time From Peak to Zero Angle		Msec.	58.0 to 67.0	61.9	Pass
Moment About Occipital Condyle		Nm	73.0 to 88.0	80.2	Pass
Positive Moment Decay, Time To 0 Nm		Msec.	49.0 to 64.0	50.4	Pass
Overall Test Results					Pass



Curve Description

Pendulum Velocity


CURNO	Type	SAE Class	Units
001	FIL	180	m/sec
Max	Time	Min	Time
9.3	196.6	0.0	-0.1



Curve Description

"D" Plane Rotation

CURNO	Type	SAE Class	Units
003	FIL	60	Degrees
Max	Time	Min	Time
77.6	53.7	-27.5	155.3



Curve Description

Moment About Occipital Condyle

CURNO	Type	SAE Class	Units
004	FIL	600	Nm
Max	Time	Min	Time
80.2	38.3	-26.3	151.0

APPENDIX C
POST-TEST SID / HIII CONFIGURATION AND PERFORMANCE VERIFICATION DATA

Test Program: SID / HIII External Measurements
ATD Serial No.: 275

Test Date: 9/5/07
Test I.D.: N/A




Tested Parameter	Units	Specification	Result	Pass/Fail
Laboratory Temperature	°C	18.9 to 25.6	21.1	Pass
Laboratory Relative Humidity	%	10 to 70	30	Pass
SH- Seated Height	mm	889 to 909	898	Pass
HP- Hip Point Height	mm	99 (reference)	99	Pass
RH- Rib Height	mm	502 to 520	510	Pass
KH- Knee Pivot From Back Line	mm	511 to 526	516	Pass
KV- Knee Pivot From Floor	mm	490 to 505	500	Pass
HW- Hip Width	mm	356 to 391	369	Pass
Overall Test Results				Pass

Test Program: SID / HIII Thorax Lateral Impact
 ATD Serial No.: 275


Test Date: 9/5/07
 Test I.D.: TH08M1




Tested Parameter	Units	Specification	Result	Pass/Fail
Laboratory Temperature	°C	18.9 to 25.6	21.1	Pass
Laboratory Relative Humidity	%	10 to 70	30	Pass
Probe Velocity	m/s	4.21 to 4.33	4.32	Pass
Upper Rib Acceleration	G's	37.0 to 46.0	45.8	Pass
Lower Rib Acceleration	G's	37.0 to 46.0	44.2	Pass
Thoracic Spine Acceleration	G's	15.0 to 22.0	20.7	Pass
Overall Test Results			Pass	



Curve Description			
Upper Rib Y Primary			
CURNO	Type	SAE Class	Units
001	FIL	FIR100	G's
Max	Time	Min	Time
45.8	23.2	-17.0	51.9



Curve Description			
Lower Rib Y Primary			
CURNO	Type	SAE Class	Units
002	FIL	FIR100	G's
Max	Time	Min	Time
44.2	23.2	-14.3	31.9




Curve Description			
Lower Spine Y Primary			
CURNO	Type	SAE Class	Units
003	FIL	FIR100	G's
Max	Time	Min	Time
20.7	26.9	-4.5	36.9

Test Program: SID / HIII Pelvis Lateral Impact
 ATD Serial No.: 275

Test Date: 9/5/07
 Test I.D.: PL09M1



Tested Parameter	Units	Specification	Result	Pass/Fail
Laboratory Temperature	°C	18.9 to 25.6	21.1	Pass
Laboratory Relative Humidity	%	10 to 70	30	Pass
Probe Velocity	m/s	4.21 to 4.33	4.31	Pass
Peak Pelvis Acceleration	G's	40.0 to 60.0	48.7	Pass
Acceleration Time Above 20 G's	Msec.	3.0 to 7.0	4.90	Pass
Overall Test Results				Pass




Curve Description			
Pelvis Y Primary			
CURNO	Type	SAE Class	Units
001	FIL	FIR100	G's
Max	Time	Min	Time
48.7	11.3	-10.2	24.4

Test Program: SID / HIII Head Drop Lateral Impact Test
 ATD Serial No.: 275


Test Date: 9/5/07
 Test I.D.: HD09M1



Tested Parameter	Units	Specification	Result	Pass/Fail
Laboratory Temperature	°C	18.9 to 25.6	21.7	Pass
Laboratory Relative Humidity	%	10 to 70	30	Pass
Peak Resultant Acceleration	G's	120.0 to 150.0	140.1	Pass
Peak Longitudinal Acceleration	G's	≤15.0	9.8	Pass
Is Acceleration Unimodal?	Yes/No	Yes	Yes	Pass
Oscillations After Main Pulse	%	<15	4.5	Pass
Overall Test Results				Pass



Curve Description			
Head Resultant			
CURNO	Type	SAE Class	Units
001	RES	1000	G's
Max	Time	Min	Time
140.1	2.3	0.1	-0.6




Curve Description			
Head X			
CURNO	Type	SAE Class	Units
002	FIL	1000	G's
Max	Time	Min	Time
7.2	4.0	-9.8	2.2

Test Program: SID / HIII Neck Pendulum Lateral Test
 ATD Serial No.: 275


Test Date: 9/5/07
 Test I.D.: NB09M1




Tested Parameter		Units	Specification	Result	Pass/Fail
Laboratory Temperature		°C	20.6 to 22.2	21.1	Pass
Laboratory Relative Humidity		%	10 to 70	30	Pass
Pendulum Velocity		m/sec	6.89 to 7.13	7.00	Pass
Pendulum Deceleration	10 Msec.	m/sec	1.96 to 2.55	2.11	Pass
	20 Msec.	m/sec	4.12 to 5.10	4.36	Pass
	30 Msec.	m/sec	5.73 to 7.01	6.19	Pass
	40 to 70	m/sec	6.27 to 7.64	6.94	Pass
"D" Plane Rotation	Max	Degrees	66.0 to 82.0	78.1	Pass
Max Rotation Time After Peak Moment		Msec.	2.0 to 16.0	15.4	Pass
Rotation Time From Peak to Zero Angle		Msec.	58.0 to 67.0	61.9	Pass
Moment About Occipital Condyle		Nm	73.0 to 88.0	78.4	Pass
Positive Moment Decay, Time To 0 Nm		Msec.	49.0 to 64.0	50.4	Pass
Overall Test Results				Pass	



Curve Description			
Pendulum Velocity			
CURNO	Type	SAE Class	Units
001	FIL	180	m/sec
Max	Time	Min	Time
8.5	196.6	0.0	-0.1



Curve Description			
"D" Plane Rotation			
CURNO	Type	SAE Class	Units
003	FIL	60	Degrees
Max	Time	Min	Time
78.1	53.7	-27.7	155.3



Curve Description			
Moment About Occipital Condyle			
CURNO	Type	SAE Class	Units
004	FIL	600	Nm
Max	Time	Min	Time
78.4	38.3	-25.8	151.0

Test Program: SID / HIII External Measurements
 ATD Serial No.: 274

Test Date: 9/5/07
 Test I.D.: N/A




Tested Parameter	Units	Specification	Result	Pass/Fail
Laboratory Temperature	°C	18.9 to 25.6	21.1	Pass
Laboratory Relative Humidity	%	10 to 70	30	Pass
SH- Seated Height	mm	889 to 909	898	Pass
HP- Hip Point Height	mm	99 (reference)	99	Pass
RH- Rib Height	mm	502 to 520	510	Pass
KH- Knee Pivot From Back Line	mm	511 to 526	516	Pass
KV- Knee Pivot From Floor	mm	490 to 505	500	Pass
HW- Hip Width	mm	356 to 391	369	Pass
Overall Test Results				Pass

Test Program: SID / HIII Thorax Lateral Impact
 ATD Serial No.: 274


Test Date: 9/5/07
 Test I.D.: TH09N1




Tested Parameter	Units	Specification	Result	Pass/Fail
Laboratory Temperature	°C	18.9 to 25.6	21.1	Pass
Laboratory Relative Humidity	%	10 to 70	30	Pass
Probe Velocity	m/s	4.21 to 4.33	4.32	Pass
Upper Rib Acceleration	G's	37.0 to 46.0	42.5	Pass
Lower Rib Acceleration	G's	37.0 to 46.0	44.6	Pass
Thoracic Spine Acceleration	G's	15.0 to 22.0	21.1	Pass
Overall Test Results			Pass	



Curve Description			
Upper Rib Y Primary			
CURNO	Type	SAE Class	Units
001	FIL	FIR100	G's
Max	Time	Min	Time
42.5	23.2	-15.8	51.9



Curve Description			
Lower Rib Y Primary			
CURNO	Type	SAE Class	Units
002	FIL	FIR100	G's
Max	Time	Min	Time
44.6	23.2	-14.5	31.9




Curve Description			
Lower Spine Y Primary			
CURNO	Type	SAE Class	Units
003	FIL	FIR100	G's
Max	Time	Min	Time
21.1	26.9	-4.6	36.9

Test Program: SID / HIII Pelvis Lateral Impact
 ATD Serial No.: 274

Test Date: 9/5/07
 Test I.D.: PL09N1



Tested Parameter	Units	Specification	Result	Pass/Fail
Laboratory Temperature	°C	18.9 to 25.6	21.1	Pass
Laboratory Relative Humidity	%	10 to 70	30	Pass
Probe Velocity	m/s	4.21 to 4.33	4.31	Pass
Peak Pelvis Acceleration	G's	40.0 to 60.0	48.7	Pass
Acceleration Time Above 20 G's	Msec.	3.0 to 7.0	4.90	Pass
Overall Test Results				Pass




Curve Description			
Pelvis Y Primary			
CURNO	Type	SAE Class	Units
001	FIL	FIR100	G's
Max	Time	Min	Time
48.7	11.3	-10.2	24.4

Test Program: SID / HIII Head Drop Lateral Impact Test
 ATD Serial No.: 274


Test Date: 9/5/07
 Test I.D.: HD09N1



Tested Parameter	Units	Specification	Result	Pass/Fail
Laboratory Temperature	°C	18.9 to 25.6	21.7	Pass
Laboratory Relative Humidity	%	10 to 70	30	Pass
Peak Resultant Acceleration	G's	120.0 to 150.0	142.5	Pass
Peak Longitudinal Acceleration	G's	≤15.0	10.2	Pass
Is Acceleration Unimodal?	Yes/No	Yes	Yes	Pass
Oscillations After Main Pulse	%	<15	4.6	Pass
Overall Test Results			Pass	



Curve Description			
Head Resultant			
CURNO	Type	SAE Class	Units
001	RES	1000	G's
Max	Time	Min	Time
142.5	2.3	0.1	-0.6




Curve Description			
Head X			
CURNO	Type	SAE Class	Units
002	FIL	1000	G's
Max	Time	Min	Time
7.5	4.0	-10.2	2.2

Test Program: SID / HIII Neck Pendulum Lateral Test
 ATD Serial No.: 274


Test Date: 9/5/07
 Test I.D.: NB09N1




Tested Parameter		Units	Specification	Result	Pass/Fail
Laboratory Temperature		°C	20.6 to 22.2	21.1	Pass
Laboratory Relative Humidity		%	10 to 70	30	Pass
Pendulum Velocity		m/sec	6.89 to 7.13	7.08	Pass
Pendulum Deceleration	10 Msec.	m/sec	1.96 to 2.55	2.28	Pass
	20 Msec.	m/sec	4.12 to 5.10	4.70	Pass
	30 Msec.	m/sec	5.73 to 7.01	6.67	Pass
	40 to 70	m/sec	6.27 to 7.64	7.49	Pass
"D" Plane Rotation	Max	Degrees	66.0 to 82.0	76.2	Pass
Max Rotation Time After Peak Moment		Msec.	2.0 to 16.0	15.3	Pass
Rotation Time From Peak to Zero Angle		Msec.	58.0 to 67.0	62.1	Pass
Moment About Occipital Condyle		Nm	73.0 to 88.0	77.9	Pass
Positive Moment Decay, Time To 0 Nm		Msec.	49.0 to 64.0	50.4	Pass
Overall Test Results					Pass



Curve Description			
Pendulum Velocity			
CURNO	Type	SAE Class	Units
001	FIL	180	m/sec
Max	Time	Min	Time
9.2	196.6	0.0	-0.1



Curve Description			
"D" Plane Rotation			
CURNO	Type	SAE Class	Units
003	FIL	60	Degrees
Max	Time	Min	Time
76.2	53.6	-26.9	155.3



Curve Description			
Moment About Occipital Condyle			
CURNO	Type	SAE Class	Units
004	FIL	600	Nm
Max	Time	Min	Time
77.9	38.3	-25.7	151.0