



REPORT NUMBER: TWG-MGA-2012-002

**SIDE AIRBAG OUT-OF-POSITION INJURY
TECHNICAL WORKING GROUP**

**HYUNDAI MOTOR COMPANY
2012 HYUNDAI ACCENT GLS 4-DR SEDAN
NHTSA NO.: MC0504TWG2**

TEST DATE: DECEMBER 15, 2011

FINAL REPORT DATE: JANUARY 31, 2012

FINAL REPORT

**PREPARED BY:
MGA RESEARCH CORPORATION
5000 WARREN ROAD
BURLINGTON, WI 53105**

**PREPARED FOR:
ALPHA TECHNOLOGY ASSOCIATE, INC.
2810 OLD LEE HIGHWAY, SUITE 120
FAIRFAX, VA 22031**

SIGNATURE APPROVAL PAGE

Prepared by: Jessica Gall
Jessica Gall, Project Engineer

Date: 01/31/2012

Reviewed by: David Winkelbauer
David Winkelbauer, Director of Operations

Date: 01/31/2012

Test Engineer: Jessica Gall

Test Technician: Matt Jacobsen
Wayne Dahlke

Instrumentation/Calibration: Tim Grochowske

Secretary: Megan Buxton

FINAL REPORT ACCEPTANCE BY:

Date: _____

The results presented in this report relate only to the specified test items.

TABLE OF CONTENTS

<u>Section</u>		<u>Page No</u>
1	Purpose and Summary of Test	1
2	Occupant and Vehicle Information / Data Sheets	3
<u>Data Sheet No</u>		<u>Page No</u>
1	Test Summary	3
2	Test Vehicle Information	4
3	Dummy Positioning in Vehicle	5
4	Dummy Injury Criteria Values	6
<u>Appendix</u>		
A	Photographs	8
B	Dummy Response Data Traces	22

SECTION 1

PURPOSE AND SUMMARY OF TEST

PURPOSE

The purpose of this test was to obtain data in a static out-of-position side air bag deployment. These data constitute part of the general consumer information collected by Alpha Technology Associate, Inc.

SUMMARY

The effects of both a curtain and torso airbag deployment in a 2012 Hyundai Accent GLS with an out-of-position Hybrid III 6-Year-Old child dummy were evaluated. The curtain and seat airbags were fired remotely. The test was performed by MGA Research Corporation on December 15, 2011. Pre and post test photographs of the vehicle and dummy can be found in Appendix A.

Three high-speed cameras (1000 fps) were used to document the side airbag deployment event. The following camera locations were used:

- Left Side Through Removed Driver Door
- Front Through Windshield
- Left Side $\frac{3}{4}$ View Through Windshield

One Hybrid III 6-Year-Old child dummy (Serial Number 144) was placed in the right front passenger seat situated in the front-facing position along the outboard edge of the seat per Section 3.3.3.5 according to dummy placement instructions specified in the Recommended Procedures for Evaluating Occupant Injury Risk from Deploying Side Airbags as prepared by the Side Airbag Out-of-Position Injury Technical Working Group (TWG).

The dummy was instrumented with the following instrumentation:

- | | |
|-------------------------------------|------------------------------|
| • Head Accelerations | • Upper Spine Acceleration |
| • Upper Neck Load Cell | • Upper Sternum Acceleration |
| • Lower Neck Load Cell | • Lower Sternum Acceleration |
| • Chest Accelerations | • Lower Abdominal @ Spine |
| • Upper Thorax @ Spine Acceleration | Acceleration |

The 23 channels of data were recorded on an on-board data acquisition system. Appendix B contains the dummy data traces.

The Hybrid III 6-Year-Old child dummy's visible contact points were as follows:

- Curtain airbag to top and left side of head
- Torso/Pelvis bag to right shoulder and torso

The Hybrid III 6-Year-Old child dummy was placed in the right front passenger seat along the outboard edge of the foam block, aligning the upper spine with the deployment trajectory of the airbag. The dummy's head was placed in between the seat bolster and pillar/side trim. The head remained in its neutral orientation. The legs were aligned so that they cross the heel placement points that were previously marked on the seat cushion. The feet were held in place and the pelvis slid forward and parallel to the centerline of the vehicle until the dummy's head/neck junction was aligned vertically with the top edge of the airbag module. The legs were then repositioned so that they cross the heel placement points. With the vehicle door closed, the dummy's outboard arm was raised to clear the armrest and the pelvis and upper torso was slid outboard until the pelvis or torso contacted the door. The outboard arm was placed on the armrest. The inboard arm was flexed so that the upper arm contacted the seat back and the fingertips contacted the foam block.

The dummy's skullcap seam was taped with 4mm electrical tape to prevent the airbag from getting caught in the seam. The dummy's headskin was cleaned with alcohol and dusted with baby powder to achieve acceptable frictional characteristics.

This orientation complies with Section 3.3.3.5 of the TWG Recommended Procedures for Evaluating Occupant Injury Risk from Deploying Side Airbags as defined by Lund, et al and the Technical Working Group First Revision dated July, 2003.

SECTION 2
OCCUPANT AND VEHICLE INFORMATION / DATA SHEETS

DATA SHEET NO. 1
TEST SUMMARY

	Test Data	Description
Seating Position	P2	Right Front Seating Position
Test	3.3.3.5*	Forward-facing child dummy
Curtain Airbag	Roof-Rail Mounted	Side Airbag
Torso Airbag	Seat Mounted	Side Airbag
ATD Type/Serial No.	Hybrid III 6 Year Old / 144	Child Dummy

* Procedure as defined by Lund, et al and the Technical Working Group dated July, 2003

Number of Data Channels	23
Number of Airbag Channels	4
Number of High-Speed Video	3

Visible Dummy Contact Points	
Head Contact	Curtain airbag to top and left side of head
Right Shoulder Contact	Torso/Pelvis Bag
Right Torso Contact	Torso/Pelvis Bag
Right Pelvis Contact	None

DATA SHEET NO. 2**TEST VEHICLE INFORMATION**

Please note that this vehicle had previously been tested in an
NCAP Side MDB Impact on November 2, 2011.

TEST VEHICLE INFORMATION

Manufacturer	Hyundai
Model	Accent
Body Style	Sedan
NHTSA No.	MC0504TWG2
VIN	KMHCT4AE9CU091672
Color	Boston Red
Delivery Date	10/04/2011
Odometer Reading (mile)	63
Dealer	Rosen Hyundai
Transmission	Automatic
Final Drive	Front
Number of Cylinders	4
Engine Displacement (L)	1.6
Engine Placement	Lateral
Automatic Door Lock (ADL)	No
Owners Manual Details Instructions on Disabling ADLs	No
Bucket Seats	Yes

TEST VEHICLE OPTIONS

Driver Front Airbag	Yes
Driver Side Curtain Airbag	Yes
Driver Side Torso Airbag	Yes
Rear Passenger Side Curtain Airbag	Yes
Rear Passenger Side Torso Airbag	No
Force Limiter	Yes
Pretensioner	Yes
Power Steering	Yes
Power Door Locks	Yes
Tilt Wheel	Yes
Air Conditioning	Yes
Anti-lock Brakes	Yes
Traction Control	Yes
All Wheel Drive	No
Power Seats	No

DATA FROM CERTIFICATION LABEL

Manufactured By	Hyundai Motor Company
Date of Manufacture	JUL/12/11

GVWR (kg)	1600
GAWR Front (kg)	850
GAWR Rear (kg)	840

Measured Parameter	Front	Rear	Third	Total
Type of Seats	Bucket	Split Bench		
Number of Occupants	2	3		5
Capacity Wt. (VCW) (kg)				385
Cargo Wt. (RCLW) (kg)				45

DATA SHEET NO. 3
DUMMY POSITIONING IN VEHICLE

Measurement		Value
Seat Position		4 th detent (foremost as 0)
Seat Height Position		Non-Adjustable
Placed in Position No. 2		---
Seat Back Angle (from headrest post)	SA (°)	8.5
Top of Curtain Airbag Module to Head/Neck Junction	AN (mm)	296
Top of Seat Airbag Module to Head/Neck Junction	AN (mm)	95
Head CG to Door Window	HD (mm)	184
Head to Seat Back Centerline	HSC (mm)	172
Chest to Dash	CD (mm)	550
Chest to Seatback	CS (mm)	217
Right Arm to Seat Back Centerline	RACL (mm)	320
Left Arm to Seat Back Centerline	LACL (mm)	112
Right Arm to Door Panel	RA (mm)	Contact
Left Arm to B-Post	LA (mm)	248
Knee to Knee	KK (mm)	140
Toe to Toe	TT (mm)	145
Right Knee to Seat Cushion Centerline	KSCR (mm)	135
Left Knee to Seat Cushion Centerline	KSCL (mm)	22
Right Toe to Seat Cushion Centerline	TSCR (mm)	3
Left Toe to Seat Cushion Centerline	TSCL (mm)	138
Nose to Dash	ND (mm)	655
Nose to Headrest	NS (mm)	176
Top of Head to Headliner	HH (mm)	150

DATA SHEET NO. 4
DUMMY INJURY CRITERIA VALUES

NHTSA No. MC0504TWG2

		MAXIMUM VALUE			
		Position No. 2			
DESCRIPTION	UNIT	MAXIMUM	TIME (ms)	MINIMUM	TIME (ms)
Head X	g	17.9	15.3	-21.7	10.7
Head Y	g	78.0	10.7	-103.1	11.0
Head Z	g	53.2	10.5	-18.3	7.7
Head Resultant	g	104.4	11.0		
Upper Neck Fx	N	493.1	18.2	-105.8	211.8
Upper Neck Fy	N	45.5	8.6	-252.6	16.5
Upper Neck Fz	N	252.9	73.3	-919.1	14.7
Upper Neck F Resultant	N	1034.5	15.3		
Upper Neck Mx	Nm	24.8	15.4	-7.6	85.7
Upper Neck My	Nm	55.8	16.6	-19.7	38.7
Upper Neck Mz	Nm	3.4	111.6	-6.2	183.7
Upper Neck M Resultant	Nm	60.9	16.5		
Lower Neck Fx	N	82.3	4.9	-501.0	17.5
Lower Neck Fy	N	128.1	11.2	-284.6	14.6
Lower Neck Fz	N	186.2	151.0	-757.9	14.7
Lower Neck F Resultant	N	897.3	14.7		
Lower Neck Mx	Nm	7.0	7.3	-28.9	15.7
Lower Neck My	Nm	28.6	7.6	-36.6	18.9
Lower Neck Mz	Nm	8.8	81.8	-22.4	15.6
Lower Neck M Resultant	Nm	49.4	17.8		
Chest X	G	79.2	4.7	-9.7	100.0
Chest Y	G	20.8	4.5	-43.3	13.9
Chest Z	G	16.4	12.5	-18.3	7.5
Chest Resultant	G	79.6	4.7		
Upper Spine X	G	36.6	12.9	-8.5	100.1
Upper Sternum X	G	181.0	12.3	-84.7	11.7
Lower Sternum X	G	161.0	11.7	-75.4	12.2
Upper Thorax @ Spine X	G	47.3	12.8	-7.5	49.6
Lower Abdominal @ Spine X	G	93.3	4.9	-13.3	88.9

DATA SHEET NO. 4 (continued)
DUMMY INJURY CRITERIA VALUES

NHTSA No. MC0504TWG2

ATD position	HEAD INJURY CRITERIA (HIC)					
	HIC15			HIC36		
	HIC	T ¹ (msec)	T ² (msec)	HIC	T ¹ (msec)	T ² (msec)
No. 2 Right Front	31.18	10.4	11.8	31.18	10.4	11.8

Position 2 Neck Injury Summary (6-Year-Old – Out-Of-Position)

	Nij	Time (msec)	Z Force (N) (CFC 600)	X Force (N) (CFC 600)	Y Moment (N-m) (CFC 600)
Ntf	0.11	192.5	6.66	-74.79	8.26
Nte	0.60	38.3	152.34	31.65	-19.67
Ncf	0.81	15.7	-875.00	434.72	53.67
Nce	0.17	6.3	-462.25	-60.72	-1.23
Peak Tension (CFC1000)		252.9 N	Peak Compression (CFC 1000)		-919.1 N

Critical Values

Nij Intercepts				Peak Limits	
Tension (CVt)	2800 N	Extension (mCVe)	37 N-m	Tension	1490 N
Compression (CVc)	2800 N	Flexion (mCVf)	93 N-m	Compression	1820 N
Condyle Offset	0.01778 m				

APPENDIX A PHOTOGRAPHS

TABLE OF PHOTOGRAPHS

	<u>Page No.</u>
Photo No. 1. Right ¾ Front View of Vehicle, As Received	9
Photo No. 2. Vehicle Certification Placard	9
Photo No. 3. Pre-Test Vehicle Left Side View	10
Photo No. 4. Post-Test Vehicle Left Side View	10
Photo No. 5. Pre-Test 6-Year-Old Child Dummy Left Side View	11
Photo No. 6. Post-Test 6-Year-Old Child Dummy Left Side View	11
Photo No. 7. Pre-Test 6-Year-Old Child Dummy Left Side Closeup View	12
Photo No. 8. Post-Test 6-Year-Old Child Dummy Left Side Closeup View	12
Photo No. 9. Pre-Test 6-Year-Old Child Dummy Left ¾ Front View	13
Photo No. 10. Post-Test 6-Year-Old Child Dummy Left ¾ Front View	13
Photo No. 11. Pre-Test 6-Year-Old Child Dummy Left ¾ Front Closeup View	14
Photo No. 12. Post-Test 6-Year-Old Child Dummy Left ¾ Front Closeup View	14
Photo No. 13. Pre-Test 6-Year-Old Child Dummy Front View	15
Photo No. 14. Post-Test 6-Year-Old Child Dummy Front View	15
Photo No. 15. Pre-Test 6-Year-Old Child Dummy Front Closeup View	16
Photo No. 16. Post-Test 6-Year-Old Child Dummy Front Closeup View	16
Photo No. 17. Pre-Test 6-Year-Old Child Dummy Right ¾ Front View	17
Photo No. 18. Post-Test 6-Year-Old Child Dummy Right ¾ Front View	17
Photo No. 19. Pre-Test 6-Year-Old Child Dummy Right Side View	18
Photo No. 20. Post-Test 6-Year-Old Child Dummy Right Side View	18
Photo No. 21. Pre-Test 6-Year-Old Child Dummy Rear View	19
Photo No. 22. Post-Test 6-Year-Old Child Dummy Rear View	19
Photo No. 23. Post-Test Curtain Airbag Left Side View	20
Photo No. 24. Post-Test Curtain Airbag Left ¾ Front View	20
Photo No. 25. Post-Test Curtain Airbag Front View	21
Photo No. 26. Post-Test Curtain Airbag Right Side View With Door Open	21



Right ¾ Front View of Vehicle, As Received



Vehicle Certification Placard



Pre-Test Vehicle Left Side View



Post-Test Vehicle Left Side View



Pre-Test 6-Year-Old Child Dummy Left Side View



Post-Test 6-Year-Old Child Dummy Left Side View



Pre-Test 6-Year-Old Child Dummy Left Side Closeup View



Post-Test 6-Year-Old Child Dummy Left Side Closeup View



Pre-Test 6-Year-Old Child Dummy Left $\frac{3}{4}$ Front View



Post-Test 6-Year-Old Child Dummy Left $\frac{3}{4}$ Front View



Pre-Test 6-Year-Old Child Dummy Left $\frac{3}{4}$ Front Closeup View



Post-Test 6-Year-Old Child Dummy Left $\frac{3}{4}$ Front Closeup View



Pre-Test 6-Year-Old Child Dummy Front View



Post-Test 6-Year-Old Child Dummy Front View



Pre-Test 6-Year-Old Child Dummy Front Closeup View



Post-Test 6-Year-Old Child Dummy Front Closeup View






Pre-Test 6-Year-Old Child Dummy Right Side View



Post-Test 6-Year-Old Child Dummy Right Side View



Pre-Test 6-Year-Old Child Dummy Rear View



Post-Test 6-Year-Old Child Dummy Rear View




Post-Test Curtain Airbag Left Side View



Post-Test Curtain Airbag Left 3/4 Front View



Post-Test Curtain Airbag Front View







Post-Test Curtain Airbag Right Side View With Door Open

APPENDIX B
DUMMY RESPONSE DATA TRACES

TABLE OF DATA PLOTS


	<u>Page No.</u>
Figure No. 1. Passenger Head X Acceleration vs. Time	24
Figure No. 2. Passenger Head Y Acceleration vs. Time	24
Figure No. 3. Passenger Head Z Acceleration vs. Time	24
Figure No. 4. Passenger Head Resultant Acceleration vs. Time	24
Figure No. 5. Passenger Upper Neck X Force vs. Time	25
Figure No. 6. Passenger Upper Neck Y Force vs. Time	25
Figure No. 7. Passenger Upper Neck Z Force vs. Time	25
Figure No. 8. Passenger Upper Neck Resultant Force vs. Time	25
Figure No. 9. Passenger Upper Neck X Moment vs. Time	26
Figure No. 10. Passenger Upper Neck Y Moment vs. Time	26
Figure No. 11. Passenger Upper Neck Z Moment vs. Time	26
Figure No. 12. Passenger Upper Neck Resultant Moment vs. Time	26
Figure No. 13. Passenger Lower Neck X Force vs. Time	27
Figure No. 14. Passenger Lower Neck Y Force vs. Time	27
Figure No. 15. Passenger Lower Neck Z Force vs. Time	27
Figure No. 16. Passenger Lower Neck Resultant Force vs. Time	27
Figure No. 17. Passenger Lower Neck X Moment vs. Time	28
Figure No. 18. Passenger Lower Neck Y Moment vs. Time	28
Figure No. 19. Passenger Lower Neck Z Moment vs. Time	28
Figure No. 20. Passenger Lower Neck Resultant Moment vs. Time	28
Figure No. 21. Passenger Chest X Acceleration vs. Time	29
Figure No. 22. Passenger Chest Y Acceleration vs. Time	29
Figure No. 23. Passenger Chest Z Acceleration vs. Time	29
Figure No. 24. Passenger Chest Resultant Acceleration vs. Time	30

		<u>Page No.</u>
Figure No. 25.	Passenger Upper Spine X Acceleration vs. Time	30
Figure No. 26.	Passenger Upper Sternum X Acceleration vs. Time	31
Figure No. 27.	Passenger Lower Sternum X Acceleration vs. Time	31
Figure No. 28.	Passenger Upper Thorax @ Spine X Acceleration vs. Time	31
Figure No. 29.	Passenger Lower Abdominal @ Spine X Acceleration vs. Time	31
Figure No. 30.	Passenger Curtain Airbag – Fire Voltage vs. Time	32
Figure No. 31.	Passenger Curtain Airbag – Fire Current vs. Time	32
Figure No. 32.	Passenger Seat Airbag – Fire Voltage vs. Time	32
Figure No. 33.	Passenger Seat Airbag – Fire Current vs. Time	32







PASSENGER UPPER NECK FX (N) vs TIME (ms)




PASSENGER UPPER NECK FY (N) vs TIME (ms)











PASSENGER UPPER NECK FZ (N) vs TIME (ms)











PASSENGER UPPER NECK FResultant (N) vs TIME (ms)















PASSENGER UPPER SPINE X (G's) vs TIME (ms)



PASSENGER UPPER STERNUM X (G's) vs TIME (ms)



PASSENGER LOWER STERNUM X (G's) vs TIME (ms)

