



REPORT NUMBER: TWG-MGA-2015-002

**SIDE AIRBAG OUT-OF-POSITION INJURY
TECHNICAL WORKING GROUP**

**GENERAL MOTORS LLC
2015 Cadillac ATS 4-Dr Sedan
NHTSA No.: M20150115TWG2**

TEST DATE: DECEMBER 3, 2014

FINAL REPORT DATE: DECEMBER 30, 2014

FINAL REPORT

**PREPARED BY:
MGA RESEARCH CORPORATION
5000 WARREN ROAD
BURLINGTON, WI 53105**

**PREPARED FOR:
ALPHA TECHNOLOGY ASSOCIATE, INC.
2810 OLD LEE HIGHWAY, SUITE 120
FAIRFAX, VA 22031**

SIGNATURE APPROVAL PAGE

Prepared by: Jessica Gall
Jessica Gall, Project Engineer

Date: 12/30/2014

Reviewed by: David Winkelbauer
David Winkelbauer, Director of Operations

Date: 12/30/2014

Test Engineers: Jessica Gall
Robert Schnorenberg
Nick Abels

Instrumentation/Calibration: David Schoedel

Secretary: Donna Janovicz

FINAL REPORT ACCEPTANCE BY:

Date: _____

The results presented in this report relate only to the specified test items.

TABLE OF CONTENTS

<u>Section</u>		<u>Page No</u>
1	Purpose and Summary of Test	1
2	Occupant and Vehicle Information / Data Sheets	3
<u>Data Sheet No.</u>		<u>Page No.</u>
1	Test Summary	3
2	Test Vehicle Information	4
3	Dummy Positioning in Vehicle	5
4	Dummy Injury Criteria Values	6
<u>Appendix</u>		
A	Photographs	8
B	Dummy Response Data Traces	22

SECTION 1

PURPOSE AND SUMMARY OF TEST

PURPOSE

The purpose of this test was to obtain data in a static out-of-position side air bag deployment. These data constitute part of the general consumer information collected by Alpha Technology Associate, Inc.

SUMMARY

The effects of both a curtain and torso airbag deployment in a 2015 Cadillac ATS 4-Dr Sedan with an out-of-position Hybrid III 6-Year-Old child dummy were evaluated. The curtain and seat airbags were fired remotely. The test was performed by MGA Research Corporation on December 3, 2014. Pre-test and post-test photographs of the vehicle and dummy can be found in Appendix A.

Three high-speed cameras (1000 fps) were used to document the side airbag deployment event. The following camera locations were used:

- Left Side Through Removed Driver Door
- Front Through Windshield
- Left Side $\frac{3}{4}$ View Through Windshield

One Hybrid III 6-Year-Old child dummy (Serial Number 144) was placed in the right front passenger seat situated in the inboard-facing position along the outboard edge of the seat per Section 3.3.5.1 according to dummy placement instructions specified in the Recommended Procedures for Evaluating Occupant Injury Risk from Deploying Side Airbags as prepared by the Side Airbag Out-of-Position Injury Technical Working Group (TWG).

The dummy was instrumented with the following instrumentation:

- Head Accelerations
- Upper Neck Load Cell
- Lower Neck Load Cell

The 15 channels of data were recorded on an on-board data acquisition system. Appendix B contains the dummy data traces.

The Hybrid III 6-Year-Old child dummy's visible contact points were as follows:

- Curtain airbag to top and back of head
- Torso bag to left side of shoulder, torso and pelvis

The Hybrid III 6-Year-Old child dummy was placed in the right front passenger seat along the outboard edge of the foam block, facing inboard with its legs extended and arms hanging at its sides. The seat track was positioned forward to maximize the cushion to head interaction. The dummy's pelvis was slid outboard until the dummy's back contacted the door trim panel or armrest and the center of gravity of the head was centered in the deployment trajectory of the airbag. The head remained in its neutral orientation. A vertical plane through the centerline of the dummy's shoulder bolts was parallel to the vehicle centerline. The dummy's arms were bent at the elbow until the fingertips contacted the foam block.

The dummy's skullcap seam was taped with 4mm electrical tape to prevent the airbag from getting caught in the seam. The dummy's headskin was cleaned with alcohol and dusted with baby powder to achieve acceptable frictional characteristics.

This orientation complies with Section 3.3.5.1 of the TWG Recommended Procedures for Evaluating Occupant Injury Risk from Deploying Side Airbags as defined by Lund, et al and the Technical Working Group First Revision dated July, 2003.

SECTION 2
OCCUPANT AND VEHICLE INFORMATION / DATA SHEETS

DATA SHEET NO. 1
TEST SUMMARY

	Test Data	Description
Seating Position	P2	Right Front Seating Position
Test	3.3.5.1*	Inboard-facing child dummy
Curtain Airbag	Roof-Rail Mounted	Side Airbag
Torso Airbag	Seat Mounted	Side Airbag
ATD Type/Serial No.	Hybrid III 6 Year Old / 144	Child Dummy

* Procedure as defined by Lund, et al and the Technical Working Group dated July, 2003

Number of Dummy Data Channels	15
Number of Airbag Channels	4
Number of High-Speed Videos	3

Visible Dummy Contact Points	
Head Contact	Curtain airbag to top and back of head
Left Shoulder Contact	Torso bag
Left Torso Contact	Torso bag
Left Pelvis Contact	Torso bag

DATA SHEET NO. 2**TEST VEHICLE INFORMATION**

Please note that this vehicle had previously been tested in an
NCAP Side Pole Impact on September 23, 2014.

TEST VEHICLE INFORMATION**TEST VEHICLE OPTIONS**

Manufacturer	Cadillac	Driver Front Airbag	Yes
Model	ATS	Driver Side Curtain Airbag	Yes
Body Style	Sedan	Driver Side Torso/Pelvis Airbag	Yes
NHTSA No.	M20150115	Rear Passenger Side Curtain Airbag	Yes
VIN	1G6AA5RX3F0101057	Rear Passenger Side Torso/Pelvis Airbag	No
Color	Silver Coast Metallic	Force Limiter	Yes
Delivery Date	09/10/2014	Pretensioner	Yes
Odometer Reading (mile)	32	Power Steering	Yes
Dealer	Palmen Motors	Power Door Locks	Yes
Transmission	Automatic	Tilt Wheel	Yes
Final Drive	Rear	Air Conditioning	Yes
Number of Cylinders	4	Anti-lock Brakes	Yes
Engine Displacement (L)	2.0	Traction Control	Yes
Engine Placement	Longitudinal	All-Wheel Drive	No
Automatic Door Lock (ADL)	Yes	Power Seats	No
Owner's Manual Details Instructions on Disabling ADLs	No		
Bucket Seats	Yes		

DATA FROM CERTIFICATION LABEL

Manufactured By	General Motors LLC	GVWR (kg)	1956
Date of Manufacture	06/14	GAWR Front (kg)	879
		GAWR Rear (kg)	1077

Measured Parameter	Front	Rear	Third	Total
Type of Seats	Bucket	Split Bench		
Number of Occupants	2	3		5
Capacity Wt. (VCW) (kg)				396
Cargo Wt. (RCLW) (kg)				56

DATA SHEET NO. 3
DUMMY POSITIONING IN VEHICLE

Measurement		Value
Seat Position		90 of 240 Detents from Full Forward
Seat Height Position		Lowest
Placed in Position No. 2		---
Seat Back Angle (at headrest post)	SA (°)	12.7
Top of Curtain Airbag Module to Head/Neck Junction	AN (mm)	240
Top of Seat Airbag Module to Head/Neck Junction	AN (mm)	75
Head CG to Door Window	HD (mm)	168
Head to Seat Back Centerline	HSC (mm)	178
Chest to Dash	CD (mm)	512
Chest to Seatback	CS (mm)	259
Right Arm to Seat Back Centerline	RACL (mm)	265
Left Arm to Seat Back Centerline	LACL (mm)	259
Right Arm to Door Panel	RA (mm)	88
Left Arm to Door Panel	LA (mm)	95
Knee to Knee	KK (mm)	112
Toe to Toe	TT (mm)	97
Right Knee to Seat Cushion Centerline	KSCR (mm)	39
Left Knee to Seat Cushion Centerline	KSCL (mm)	37
Right Toe to Seat Cushion Centerline	TSCR (mm)	292
Left Toe to Seat Cushion Centerline	TSCL (mm)	234
Nose to Dash	ND (mm)	561
Nose to Headrest	NS (mm)	228
Top of Head to Headliner	HH (mm)	83

DATA SHEET NO. 4
DUMMY INJURY CRITERIA VALUES

NHTSA No. M20150115TWG2

		MAXIMUM VALUE			
		Position No. 2			
DESCRIPTION	UNIT	MAXIMUM	TIME (ms)	MINIMUM	TIME (ms)
Head X	g	44.7	15.9	-14.4	236.6
Head Y	g	77.6	15.7	-77.9	16.5
Head Z	g	75.4	15.6	-9.2	11.1
Head Resultant	g	104.3	15.6		
Upper Neck Fx	N	164.7	239.1	-404.1	32.7
Upper Neck Fy	N	284.2	239.4	-41.8	115.5
Upper Neck Fz	N	461.6	248.6	-867.7	29.7
Upper Neck F Resultant	N	942.9	31.5		
Upper Neck Mx	Nm	20.8	26.0	-17.5	10.7
Upper Neck My	Nm	17.4	241.3	-34.6	35.2
Upper Neck Mz	Nm	8.5	124.4	-14.7	66.3
Upper Neck M Resultant	Nm	38.9	35.2		
Lower Neck Fx	N	432.2	33.9	-222.0	15.8
Lower Neck Fy	N	584.5	9.6	-157.5	248.9
Lower Neck Fz	N	539.6	248.4	-862.5	32.0
Lower Neck F Resultant	N	934.9	33.0		
Lower Neck Mx	Nm	34.1	35.8	-11.8	118.1
Lower Neck My	Nm	47.8	31.5	-21.8	248.3
Lower Neck Mz	Nm	24.6	9.7	-15.3	62.4
Lower Neck M Resultant	Nm	58.6	31.5		

DATA SHEET NO. 4 (continued)
DUMMY INJURY CRITERIA VALUES

NHTSA No. M20150115TWG2

ATD position	HEAD INJURY CRITERIA (HIC)					
	HIC15			HIC36		
	HIC	T ¹ (msec)	T ² (msec)	HIC	T ¹ (msec)	T ² (msec)
No. 2 Right Front	46.47	15.4	16.7	46.47	15.4	16.7

Position 2 Neck Injury Summary (6-Year-Old – Out-Of-Position)

	Nij	Time (msec)	Z Force (N) (CFC 600)	X Force (N) (CFC 600)	Y Moment (N-m) (CFC 600)
Ntf	0.21	248.5	456.99	40.27	5.01
Nte	0.09	299.3	56.07	18.31	-2.20
Ncf	0.43	240.7	-754.71	155.10	17.24
Nce	0.92	33.6	-595.64	-372.21	-32.93
Peak Tension (CFC1000)	461.6 N		Peak Compression (CFC 1000)		-867.7 N

Critical Values

Nij Intercepts				Peak Limits	
Tension (CVt)	2800 N	Extension (mCVe)	37 N-m	Tension	1490 N
Compression (CVc)	2800 N	Flexion (mCVf)	93 N-m	Compression	1820 N
Condyle Offset	0.01778 m				


APPENDIX A PHOTOGRAPHS

TABLE OF PHOTOGRAPHS

	<u>Page No.</u>
Photo No. 1. Right $\frac{3}{4}$ Front View of Vehicle, As Received	9
Photo No. 2. Vehicle Certification Label	9
Photo No. 3. Pre-Test Vehicle Left Side View	10
Photo No. 4. Post-Test Vehicle Left Side View	10
Photo No. 5. Pre-Test 6-Year-Old Child Dummy Left Side View	11
Photo No. 6. Post-Test 6-Year-Old Child Dummy Left Side View	11
Photo No. 7. Pre-Test 6-Year-Old Child Dummy Left Side Closeup View	12
Photo No. 8. Post-Test 6-Year-Old Child Dummy Left Side Closeup View	12
Photo No. 9. Pre-Test 6-Year-Old Child Dummy Left $\frac{3}{4}$ Front View	13
Photo No. 10. Post-Test 6-Year-Old Child Dummy Left $\frac{3}{4}$ Front View	13
Photo No. 11. Pre-Test 6-Year-Old Child Dummy Left $\frac{3}{4}$ Front Closeup View	14
Photo No. 12. Post-Test 6-Year-Old Child Dummy Left $\frac{3}{4}$ Front Closeup View	14
Photo No. 13. Pre-Test 6-Year-Old Child Dummy Front View	15
Photo No. 14. Post-Test 6-Year-Old Child Dummy Front View	15
Photo No. 15. Pre-Test 6-Year-Old Child Dummy Front Closeup View	16
Photo No. 16. Post-Test 6-Year-Old Child Dummy Front Closeup View	16
Photo No. 17. Pre-Test 6-Year-Old Child Dummy Right $\frac{3}{4}$ Front View	17
Photo No. 18. Post-Test 6-Year-Old Child Dummy Right $\frac{3}{4}$ Front View	17
Photo No. 19. Pre-Test 6-Year-Old Child Dummy Right Side View	18
Photo No. 20. Post-Test 6-Year-Old Child Dummy Right Side View	18
Photo No. 21. Post-Test 6-Year-Old Child Dummy Right Side View (Door Open)	19
Photo No. 22. Post-Test Curtain Airbag Left Side View	19
Photo No. 23. Post-Test Curtain Airbag Left $\frac{3}{4}$ Front View	20
Photo No. 24. Post-Test Curtain Airbag Front View	20
Photo No. 25. Post-Test Curtain Airbag Right Side View (Door Open)	21




Right $\frac{3}{4}$ Front View of Vehicle, As Received



Vehicle Certification Label



Pre-Test Vehicle Left Side View



Post-Test Vehicle Left Side View



Pre-Test 6-Year-Old Child Dummy Left Side View



Post-Test 6-Year-Old Child Dummy Left Side View



Pre-Test 6-Year-Old Child Dummy Left Side Closeup View



Post-Test 6-Year-Old Child Dummy Left Side Closeup View



Pre-Test 6-Year-Old Child Dummy Left 3/4 Front View



Post-Test 6-Year-Old Child Dummy Left 3/4 Front View



Pre-Test 6-Year-Old Child Dummy Left $\frac{3}{4}$ Front Closeup View



Post-Test 6-Year-Old Child Dummy Left $\frac{3}{4}$ Front Closeup View



Pre-Test 6-Year-Old Child Dummy Front View



Post-Test 6-Year-Old Child Dummy Front View



Pre-Test 6-Year-Old Child Dummy Front Closeup View



Post-Test 6-Year-Old Child Dummy Front Closeup View



Pre-Test 6-Year-Old Child Dummy Right $\frac{3}{4}$ Front View



Post-Test 6-Year-Old Child Dummy Right $\frac{3}{4}$ Front View



Pre-Test 6-Year-Old Child Dummy Right Side View



Post-Test 6-Year-Old Child Dummy Right Side View



Post-Test 6-Year-Old Child Dummy Right Side View (Door Open)



Post-Test Curtain Airbag Left Side View



Post-Test Curtain Airbag Left 3/4 Front View



Post-Test Curtain Airbag Front View



Post-Test Curtain Airbag Right Side View (Door Open)

APPENDIX B
DUMMY RESPONSE DATA TRACES

TABLE OF DATA PLOTS

	<u>Page No.</u>
Figure No. 1. Passenger Head X Acceleration vs. Time	23
Figure No. 2. Passenger Head Y Acceleration vs. Time	23
Figure No. 3. Passenger Head Z Acceleration vs. Time	23
Figure No. 4. Passenger Head Resultant Acceleration vs. Time	23
Figure No. 5. Passenger Upper Neck X Force vs. Time	24
Figure No. 6. Passenger Upper Neck Y Force vs. Time	24
Figure No. 7. Passenger Upper Neck Z Force vs. Time	24
Figure No. 8. Passenger Upper Neck Resultant Force vs. Time	24
Figure No. 9. Passenger Upper Neck X Moment vs. Time	25
Figure No. 10. Passenger Upper Neck Y Moment vs. Time	25
Figure No. 11. Passenger Upper Neck Z Moment vs. Time	25
Figure No. 12. Passenger Upper Neck Resultant Moment vs. Time	25
Figure No. 13. Passenger Lower Neck X Force vs. Time	26
Figure No. 14. Passenger Lower Neck Y Force vs. Time	26
Figure No. 15. Passenger Lower Neck Z Force vs. Time	26
Figure No. 16. Passenger Lower Neck Resultant Force vs. Time	26
Figure No. 17. Passenger Lower Neck X Moment vs. Time	27
Figure No. 18. Passenger Lower Neck Y Moment vs. Time	27
Figure No. 19. Passenger Lower Neck Z Moment vs. Time	27
Figure No. 20. Passenger Lower Neck Resultant Moment vs. Time	27
Figure No. 21. Passenger Curtain Airbag – Fire Voltage vs. Time	28
Figure No. 22. Passenger Curtain Airbag – Fire Current vs. Time	28
Figure No. 23. Passenger Seat Airbag – Fire Voltage vs. Time	28
Figure No. 24. Passenger Seat Airbag – Fire Current vs. Time	28

