

October 2021 Sled Testing for Test Procedure/Buck Eval

| VDB Test No. | Test Reference No. | VRTC Test No. | CRS Model | ATD | CRS Orientation | Restraint Type | Honeycomb Spec | WB Foam Set | Test Velocity (kph)/[mph] | New Anti-Rebound |
|--------------|--------------------|---------------|----------------------------|-------|-----------------|----------------|----------------|-------------|---------------------------|------------------|
| 13800 | S211013-1 | SIDE_379 | Evenflo LiteMax | CRABI | RF Infant | SB3PT | 90 PSI ± 5% | #15 | 31.7/19.7 | No |
| 13801 | S211014-1 | SIDE_380 | Graco SnugRide SnugLock 35 | CRABI | RF Infant | SB3PT | 90 PSI ± 5% | #16 | 31.6/19.7 | No |
| 13802 | S211018-1 | SIDE_381 | Cosco Scenera Next | CRABI | FF Convertible | SB3PT&T | 90 PSI ± 5% | #15 | 31.5/19.6 | No |
| 13803 | S211018-2 | SIDE_382 | Graco Nautilus 65 | CRABI | FF Combination | SB3PT&T | 90 PSI ± 5% | #16 | 31.5/19.6 | No |
| 13804 | S211019-1 | SIDE_383 | Evenflo Chase | CRABI | FF Combination | LATCH | 90 PSI ± 5% | #15 | 31.7/19.7 | No |
| 13805 | S211020-1 | SIDE_384 | Britax Advocate | Q3s | FF Convertible | SB3PT&T | 90 PSI ± 5% | #16 | 31.7/19.7 | No |
| 13806 | S211020-2 | SIDE_385 | Maxi Cosi Pria | Q3s | FF Convertible | SB3PT&T | 90 PSI ± 5% | #15 | 31.6/19.6 | No |
| 13807 | S211021-1 | SIDE_386 | Diono Radian 3QXT | Q3s | FF Convertible | SB3PT&T | 90 PSI ± 5% | #16 | 31.7/19.7 | No |
| 13808 | S211021-2 | SIDE_387 | Evenflo Tribute | Q3s | FF Convertible | SB3PT&T | 90 PSI ± 5% | #15 | 31.5/19.6 | No |

October 2021 Sled Testing for Test Procedure/Buck Eval

| | | | | | | | | | | |
|-------|-----------|----------|------------------------------------|-------|----------------|---------|-------------|-----|-----------|-----|
| 13809 | S211025-1 | SIDE_388 | Graco Nautilus 65 LX | Q3s | FF Combination | SB3PT&T | 90 PSI ± 5% | #16 | 31.6/19.6 | No |
| 13810 | S211025-2 | SIDE_389 | Nuna Rava | Q3s | FF Convertible | SB3PT&T | 90 PSI ± 5% | #15 | 31.5/19.6 | No |
| 13811 | S211026-1 | SIDE_390 | Baby Trend Hybrid | Q3s | FF Combination | SB3PT&T | 90 PSI ± 5% | #16 | 31.5/19.6 | No |
| 13812 | S211026-2 | SIDE_391 | Safety 1 st Grow and Go | Q3s | FF Convertible | LATCH | 90 PSI ± 5% | #15 | 31.5/19.5 | No |
| 13813 | S211027-1 | SIDE_392 | Cyber Sirona M | Q3s | FF Convertible | SB3PT&T | 90 PSI ± 5% | #16 | 31.6/19.6 | No |
| 13814 | S211027-2 | SIDE_393 | Chicco NextFit | Q3s | FF Convertible | LATCH | 90 PSI ± 5% | #15 | 31.5/19.6 | No |
| 13815 | S211028-1 | SIDE_394 | Evenflo LiteMax | CRABI | RF Infant | SB3PT | 90 PSI ± 5% | #16 | 31.6/19.6 | No |
| 13816 | S211102-1 | SIDE_395 | Graco 4Ever | Q3s | RF Convertible | LA Only | 90 PSI ± 5% | #15 | 31.5/19.6 | No |
| 13817 | S211103-1 | SIDE_396 | Cosco Scenera Next | Q3s | RF Convertible | SB3PT | 90 PSI ± 5% | #16 | 31.6/19.6 | No |
| 13818 | S211103-2 | SIDE_397 | Clek Foonf | Q3s | RF Convertible | SB3PT | 90 PSI ± 5% | #15 | 31.6/19.6 | Yes |

October 2021 Sled Testing for Test Procedure/Buck Eval

| | | | | | | | | | | |
|-------|-----------|----------|--------------------|-----|----------------|---------|-----------------|-----|-----------|----|
| 13819 | S211103-3 | SIDE_398 | Evenflo Tribute | Q3s | RF Convertible | SB3PT | 90 PSI \pm 5% | #16 | 31.5/19.6 | No |
| 13820 | S211104-1 | SIDE_399 | Baby Trend Protect | Q3s | RF Convertible | LA Only | 90 PSI \pm 5% | #15 | 31.6/19.6 | No |